LIVEIT

Get the best out of life. Embrace the freedom of adventure, soak in the serenity of relaxation, and enjoy quality time with those you value most.

LIVE IT UP with Bestway.



©2025 Bestway Inflatables & Material Corp. All rights reserved.

® [™] Trademarks owned and managed by Bestway Inflatables & Material Corp.





Bestway.

2026 CATALOG COLLECTION

Enjoy our extensive collection of products in our six catalogs.

- Above Ground Pools
- Air Mattresses
- Hot Tubs
- Summer & License
- Watersports
- Camping Gear*
 Only available for INT

Digital Catalogs

Easily access all of our catalogs while on the go. Ask your Sales Rep for the link to our catalog website, and Bestway® products will be right at your fingertips!

- View the latest catalogs
- Quickly flip through and find any product
- Check out product details, photos and even videos



OUR vision

Bestway® is dedicated to helping everyone Live It Up and enjoy vacay every day with its outdoor and indoor recreational products.

Our vision began with a simple beach ball and has transformed into more than 1,100 different products available in over 120 countries worldwide.

With over 30 years in the industry, Bestway has forged a global presence, developing an extensive product line and becoming forward thinkers about sustainable business practices.





SHANGHAI, CHINA HQ • PRODUCTION

No. 208 Jin Yuan Wu Road, Shanghai, 201812, China +86 21 6913 5588 info@bestwaycorp.com



HONG KONG, CHINA R&D • SUBSIDIARY

Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre, 66 Mody Road, Kowloon, Hong Kong +852 2997 7169 info@bestwaycorp.hk



ARIZONA, U.S.A. R&D ● SUBSIDIARY

3435 S. McQueen Road, Chandler, AZ 85286, United States of America +1 480 838 3888 info@bestwaycorp.us



MILAN, ITALY R&D ● SUBSIDIARY

Via Resistenza, 5 20098 San Giuliano M.se (Mi), Italy +39 02 9884 881 info@bestwaycorp.eu



BELGIUM / LUXEMBURG SUBSIDIARY

DUBAI, U.A.E.

SUBSIDIARY

Unit 805, Fortune Tower,

Cluster C, Jumeirah Lake Towers,

P O Box 120673

Dubai, United Arab Emirates

+9714-2622333

info@bestwayme.com

Graaf van Landaststraat 148 9700 Oudenaarde, Belgium +32 475 93 45 86 info@bestwaycorp.be



COPENHAGEN. DENMARK SUBSIDIARY

Amagertory 17, 3rd FI 1160 Copenhagen K, Denmark +45 78744569 info@bestwayscandinavia.eu

PARANÁ, BRAZIL

SUBSIDIARY

Av. Melvin Jones, nº 1018, Quadra 001,

Lote 025 - Maringá - PR - Brazil

Zip Code: 87070-030

+55 44 3052-6006

info@bestwaycorp.com.br



GERMANY / AUSTRIA SUBSIDIARY

Parkstraße 11 24534 Neumünster, Germany +49 4321 555 05 - 0 info@bestwaycorp.de



LYON, FRANCE SUBSIDIARY

223 rue des Metalliers ZI Les Platières UI. Ekologiczna 24 05-080 69700 Chassagny Beauvallon +33 4 97 04 92 99 info@bestwaycorp.fr



WARSAW, POLAND SUBSIDIARY

Klaudvn Poland +48 22 60 22 508 info@bestwaycorp.pl



SYDNEY, AUSTRALIA SUBSIDIARY

15 Millennium Court Silverwater NSW 2128, Australia +61 2 9037 1388 info@bestwaycorp.com.au



SANTIAGO, CHILE **SUBSIDIARY**

Av del Valle Sur 576, Ciudad Empresarial, Huechuraba, Santiago, Chile +562 3203 6400 info@bestwaycorp.lat

GLOBAL

Bestway[®] is poised for sustainable, global growth. From wholly owning its 5 factories - 4 in mainland China and 1 (soon to be 2) in Vietnam

- to actively reducing and reusing waste and focusing on production efficiency, Bestway's strategic focus on an end-to-end manufacturing and distribution process results in faster delivery, superior product quality and the highest levels of customer satisfaction.

With the addition of its state-of-the-art, 233,000 square meters manufacturing facility in Vietnam, Bestway is primed for exponential growth while providing tariff savings and manufacturing redundancy while enhancing global shipping and supply chain support for many years to come.





HAI'AN



NANTONG



SHANGHAI



















OUR COMMITMENT TO A better future

As a leader in innovations, Bestway is striving to **B the Change** in the industry. We manufacture our products in 1.8 million square meters of factory buildings, each covered in solar panels to equal about 40 soccer fields.

As an annual recipient of the "Top Performing Supplier on Climate Action" award, we continue to drive sustainable practices forward through three main categories: renewable resources, waste and packaging.







Categories





Annual CDP Disclosure



99.7% OF SCRAP MATERIALS ARE

SQ. METERS OF **SOLAR PANELS**

215,000

20% **OVERALL ENERGY POWERED BY SOLAR**



OVER REUSED.

TONS OF PVC REUSED IN 2024 PAPER PACKAGING MADE WITH

POST-CONSUMER RECOVERED MATERIALS



OVERALL **PACKAGING** RECYCLABLE



Dear Customer,

All of these items are designed to offer you something extra, such as new price points, larger assortments of sizes and designs, and exclusive sets.

These products provide the following benefits:

- A broader, more innovative range
- A guaranteed return on investment for your advertising efforts
- The ability to set your own prices due to product differentiation

These items are subject to special conditions. Please contact Bestway or a Sales Team representative for more information if you are interested in placing an order.

We look forward to making this the best sales season yet!



WHAT'S INSIDE

We are excited to present our Special Edition Catalog for the 2026 season! This collection of items is not included in our standard catalogs, and it is only offered to select partners.

10	Above Ground Pools
48	AGP Accessories
54	Lay-Z-Spa [®] Hot Tubs
90	Watersports
102	Summer



ABOVE GROUND POOLS

When people think of Bestway® pools, they think of summer memories, high quality and reliability. We are always enhancing our overall line to improve durability and longevity. This line encompasses the best and most innovative pools selected for your market.

16 Steel Pro®

Steel Pro MAX™

Steel Pro MAX™ Splashview™

FAST SET™

Fast and simple to assemble!

Just select a level surface, inflate the top ring, fill the pool with water and you'll be splashing around in no time! No tools required for a Bestway® Fast Set Pool!





TECHNOLOGY HIGHLIGHTS - PRODUCT DESIGN

TRITECH®


3-layer puncture resistant liner material

SELF-SUPPORTING

Inflatable top ring

1-2-3 SETUP

Easy to assemble











PRODUCT MATRIX - POOL RANGE

Earth T fail S	1.83 m x 51 cm - 6' x 20"	Fast Set [™] Pool	Refer to International Catalog
Substitute of the substitute o	2.44 m x 61 cm - 8′ x 24″	Fast Set [™] Pool	Refer to International Catalog
Sathery Facility	3.05 m x 66 cm - 10′ x 26″	Fast Set [™] Pool	PG. 14
Bisher!	3.05 m x 76 cm - 10′ x 30″	Fast Set [™] Pool	Refer to International Catalog
	3.66 m x 76 cm - 12′ x 30″	Fast Set [™] Pool	Refer to International Catalog
Prince	3.96 m x 84 cm - 13′ x 33″	Fast Set [™] Pool	Refer to International Catalog
	4.57 m x 84 cm - 15′ x 33″	Fast Set [™] Pool	Refer to International Catalog
	4.57 m x 1.07 m - 15' x 42"	Fast Set [™] Pool	Refer to International Catalog

13

FAST SET™

ABOVE GROUND POOLS






Water Capacity (80%): 3,200 L (845 gal.)

3.05 m x 66 cm / 10' x 26"

				<u>a</u> <u>a</u>	/	W
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE
57456	Europe	1	8.0 (17.5)			
57457	North America	1	10.7 (23.5)	1,249 L / 330 gal.	110-120V	TYPE: I
57457	Oceania	1	10.1 (22.2)	1,249 L / 330 gal.	220-240V	TYPE: I
57458	Europe	1	10.6 (23.3)	1,249 L / 330 gal.	220-240V	TYPE: I
57458	Asia, Africa & Latin America	1	9.7 (21.5)	1,249 L / 330 gal.	220-240V	TYPE: I
57457	Asia, Africa & Latin America	1	10.4 (22.9)	1,249 L / 330 gal.	110-120V	TYPE: I



















TRITECH® CONSTRUCTION



STEEL PRO®

Easy to assemble and very affordable, with a strong, steel frame.

You get a lot of pool for your money with a Bestway® Steel Pro Pool.





TECHNOLOGY HIGHLIGHTS - PRODUCT DESIGN

FRAMELINK™ JOINTS

Corrosion prevention

FROSTED FINISH


Prevents pool liner from sticking in a hot environment

TRITECH®

3-layer puncture resistant liner material







PRODUCT MATRIX - POOL RANGE

	3.05 m x 66 cm 10′ x 26″	Steel Pro [®] Round Pool	PG. 18
	3.05 m x 76 cm 10′ x 30″	Steel Pro® Round Pool	PG. 20
	3.66 m x 76 cm 12′ x 30″	Steel Pro [®] Round Pool	PG. 20
Budary mm n	2.21 m x 1.50 m x 43 cm 7′3″ x 59″ x 17″	Steel Pro® Rectangular Pool	Refer to International Catalog
	2.59 m x 1.70 m x 61 cm 8′6″ x 67″ x 24″	Steel Pro® Rectangular Pool	Refer to International Catalog
	3.00 m x 2.01 m x 66 cm 9'10" x 6'7" x 26"	Steel Pro® Rectangular Pool	Refer to International Catalog
A PARTIE	3.66 m x 2.01 m x 66 cm 12' x 6'7" x 26"	Steel Pro® Rectangular Pool	Refer to International Catalog
AFAA	4.00 m x 2.11 m x 81 cm 13'1" x 6'11" x 32"	Steel Pro® Rectangular Pool	Refer to International Catalog

STEEL PRO®

ABOVE GROUND POOLS






Water Capacity (90%): 4,062 L (1,073 gal.)

3.05 m x 66 cm / 10' x 26"

ITEM	REGION	PACK	KG (LBS)
56985	Europe	1	15.7 (34.5)



















TRITECH® CONSTRUCTION

Packaging: Full Color Box

STEEL PRO®

ABOVE GROUND POOLS






Water Capacity (90%): 4,678 L (1,236 gal.)

3.05 m x 76 cm / 10' x 30"				E 0	7	
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE
56677	Europe	1	16.3 (35.9)			
56678	Oceania	1	18.3 (40.3)	1,249 L / 330 gal.	220-240V	TYPE: I
56679	Europe	1	18.5 (40.7)	1,249 L / 330 gal.	220-240V	TYPE: I
56679	Asia, Africa & Latin America	1	18.5 (40.9)	1,249 L / 330 gal.	220-240V	TYPE: I
56678	Asia, Africa & Latin America	1	18.5 (40.9)	1,249 L / 330 gal.	110-120V	TYPE: I

Water Capacity (90%): 6,473 L (1,710 gal.)

3.66 m x 7	6 cm / 12' x 30"			4 a	4	
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE
56706	Europe	1	20.3 (44.7)			
56680	Oceania	1	22.3 (49.2)	1,249 L / 330 gal.	220-240V	TYPE: I
56681	Europe	1	22.5 (49.6)	1,249 L / 330 gal.	220-240V	TYPE: I
56681	Asia, Africa & Latin America	1	22.6 (49.8)	1,249 L / 330 gal.	220-240V	TYPE: I
56680	Asia, Africa & Latin America	1	22.6 (49.8)	1,249 L / 330 gal.	110-120V	TYPE: I

























Packaging: Full Color Box



STEEL PRO MAX™ ROUND

These pools take fun, durability and reliability to the MAX.

The Steel Pro MAX™ above ground pool is designed with a steel frame for increased strength and durability. With the FrameLink™ or ClickConnect™ Joints included, the Steel Pro MAX is an impressive, long-lasting pool!





TECHNOLOGY HIGHLIGHTS - PRODUCT DESIGN

FRAMELINK™ JOINTS

CLICKCONNECT™ JOINTS

Quick-click system and rust prevention FROSTED FINISH

Prevents pool liner from sticking in a hot environment **TRITECH®**

3-layer puncture resistant liner material PRISMATIC STONE™ Inner liner







	4.27 m x 1.07 m 14' x 42"	Steel Pro MAX [™] Pool	Refer to International Catalog
	4.27 m x 1.07 m 14' x 42"	Steel Pro MAX [®] Pool	PG. 26
	4.27 m x 1.22 m 14′ x 48″	Steel Pro MAX [™] Pool	Refer to International Catalog
	4.57 m x 1.07 m 15′ x 42″	Steel Pro MAX [®] Pool	PG. 28
	4.57 m x 1.07 m 15' x 42"	Steel Pro MAX™Pool	Refer to International Catalog
	4.57 m x 1.22 m 15′ x 48″	Steel Pro MAX™Pool	Refer to International Catalog
	4.88 m x 1.22 m 16′ x 48″	Steel Pro MAX [™] Pool	Refer to International Catalog
	5.49 m x 1.22 m 18' x 48"	Steel Pro MAX™Pool	Refer to International Catalog

Corrosion prevention





STEEL PRO MAX™ **ROUND**

ABOVE GROUND POOLS






Water Capacity (90%): 2,417 gal. (9,150 L)

3.66 m	x 1.00 m / 12' x 39.5	"		2 0	4		趙
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56709	Europe	1	38.0 (83.8)	2,006 L / 530 gal.	220-240V	TYPE: II	√
56709	Asia, Africa & Latin America	1	36.8 (81.1)	2,006 L / 530 gal.	220-240V	TYPE: II	\checkmark




















No Tools Required



STEEL PRO MAX™ **ROUND**

ABOVE GROUND POOLS






Water Capacity (90%): 9,150 L (2,417 gal.)

3 66 m x 1 00 m / 12' x 39 5"

3.00 III X 1.00 III / 12 X 37.3					<u>& d</u>	/	W	N.H.
	ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
	5614X	Europe	1	38.0 (83.8)	2,006 L / 530 gal.	220-240V	TYPE: II	√
	5614X	Asia, Africa & Latin America	1	36.8 (81.1)	2,006 L / 530 gal.	220-240V	TYPE: II	\checkmark

Water Capacity (90%): 13,030 L (3,440 gal.)

4.27 m x 1.07 m / 14' x 42"					7			月且
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
5614Z	Europe	1	53.7 (118.3)	3,028 L / 800 gal.	220-240V	TYPE: II	√	√
5614Z	Asia, Africa & Latin America	1	51.9 (114.4)	3,028 L / 800 gal.	220-240V	TYPE: II	\checkmark	\checkmark













Drain Valve



| TRITECH® | CONSTRUCTION



12' x 39.5" = Full Color Box 14' x 42" = Sturdy Cardboard Box with Pictures





STEEL PRO MAX™ **ROUND**

ABOVE GROUND POOLS









| TRITECH® | CONSTRUCTION











Water Capacity (90%): 14,970 L (3,955 gal.)

4.57 m	X 1.07 m / 15' X 42"			20	, 			租	
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER	
56686	North America	1	56.0 (123.4)	3,028 L / 800 gal.	110-120V	TYPE: III - A/C	V	√	
56686	Oceania	1	56.0 (123.4)	3,028 L / 800 gal.	220-240V	TYPE: II		√	
56488	Europe	1	57.7 (127.3)	3,028 L / 800 gal.	220-240V	TYPE: II	√	√	
56488	Asia, Africa & Latin America	1	55.8 (123.0)	3,028 L / 800 gal.	220-240V	TYPE: II	√	√	
56686	Asia, Africa & Latin America	1	55.8 (123.0)	3,028 L / 800 gal.	110-120V	TYPE: III - A/C	√	√	




STEEL PRO MAX[™] RECTANGULAR

The smart choice.

The strength and security of rigid, super strong steel tube framing, plus simple, minimal-tool assembly makes a Bestway® Steel Pro MAX™ Pool the smart choice for families.





TECHNOLOGY HIGHLIGHTS - PRODUCT DESIGN

CLICKCONNECT™ JOINTS

Quick-click system and rust prevention




FROSTED FINISH

Prevents pool liner from sticking in a hot environment

TRITECH®

3-layer puncture resistant liner material



PRODUCT MATRIX - POOL RANGE

2.82 m x 1.96 m x 84 cm 9'3" x 6'5" x 33"	Steel Pro MAX™ Rectangular Pool	Refer to International Catalog
4.04 m x 2.01 m x 1.00 m 13′3″ x 6′7″ x 39.5″	Steel Pro MAX™ Rectangular Pool	PG. 34
4.04 m x 2.01 m x 1.00 m 13′3″ x 6′7″ x 39.5″	Steel Pro MAX™ Rectangular Pool	PG. 32
4.12 m x 2.01 m x 1.22 m 13'6" x 6'7" x 48"	Steel Pro MAX™ Rectangular Pool	PG. 34
4.12 m x 2.01 m x 1.22 m 13'6" x 6'7" x 48"	Steel Pro MAX™ Rectangular Pool	PG. 32
4.88 m x 2.44 m x 1.22 m 16' x 8' x 48"	Steel Pro MAX™ Rectangular Pool	PG. 36
5.49 m x 2.74 m x 1.22 m 18' x 9' x 48"	Steel Pro MAX™ Rectangular Pool	PG. 36
6.40 m x 2.74 m x 1.32 m 21' x 9' x 52"	Steel Pro MAX™ Rectangular Pool	PG. 36

31

STEEL PRO MAX™ RECTANGULAR

ABOVE GROUND POOLS





Water Capacity (90%): 6,478 L (1,711 gal.)


4.04 m	x 2.01 m x 1.00 m / 13'3" x	6'7" x 39.5	,	20	4		租
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56721	Europe	1	61.5 (135.6)	2,006 L / 530 gal.	220-240V	TYPE: II	√
56721	Asia, Africa & Latin America	1	59.9 (132.0)	2,006 L / 530 gal.	220-240V	TYPE: II	$\sqrt{}$

Water Capacity (90%): 8,124 L (2,146 gal.)

12 m x 2.01 m x 1.22 m / 13'6" x 6'7" x 48"					4		升
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56722	Europe	1	74.1 (163.4)	2,006 L / 530 gal.	220-240V	TYPE: II	$\sqrt{}$
56722	Asia, Africa & Latin America	1	71.9 (158.6)	2,006 L / 530 gal.	220-240V	TYPE: II	



CLICKCONNECT™

















TRITECH® CONSTRUCTION





Packaging: Sturdy Cardboard Box with Pictures



ABOVE GROUND POOLS




























Packaging: Sturdy Cardboard Box with

Water Capacity (90%): 6,478 L (1,711 gal.)

4.04 m x 2.01 m x 1.00 m / 13'3" x 6'7" x 39.5"

	2.01 III X 1.00 III / 100 X		7	丹田		
ITEM	REGION	PACK	KG (LBS)	SAND FILTER PUMP	VOLTAGE	LADDER
56442	Europe	1	67.1 (147.9)	3,596 L / 950 gal.	220-240V	√
56442	Asia, Africa & Latin America	1	65.6 (144.5)	3,596 L / 950 gal.	220-240V	

Water Capacity (90%): 8,124 L (2,146 gal.)

4 12 m x 2 01 m x 1 22 m / 13'6" x 6'7" x 48"

1.12 III X 2.01 III X 1.22 III / 136 X 6 / X 46			X 40	20		. 4	Ũ	趙
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	SAND FILTER PUMP	VOLTAGE	CARTRIDGE	LADDER
56456	Europe	1	74.1 (163.4)	2,006 L / 530 gal.		220-240V	Type: II	V
56456	Asia, Africa & Latin America	1	71.9 (158.6)	2,006 L / 530 gal.	-	220-240V	Type: II	$\sqrt{}$
56457	Europe	1	81.0 (178.6)	-	3,596 L / 950 gal.	220-240V	-	
56457	Asia, Africa & Latin America	1	78.8 (173.6)	-	3,596 L / 950 gal.	220-240V	-	



4.88 m x 2.44 m x 1.22 m / 16' x 8' x 48"

					4	M Tilling	題	
ITEM	REGION	PACK	KG (LBS)	SAND FILTER PUMP	VOLTAGE	COVER	LADDER	
56671	Europe	1	102.4 (225.6)	3,596 L / 950 gal.	220-240V	√	√	
56671	Asia, Africa & Latin America	1	99.6 (219.6)	3,596 L / 950 gal.	220-240V	√	√	

Water Capacity (90%): 14,812 L (3,913 gal.)

5.49 m x 2.74 m x 1.22 m / 18' x 9' x 48"

					4	W THITTH	粗
ITEM	REGION	PACK	KG (LBS)	SAND FILTER PUMP	VOLTAGE	COVER	LADDER
56466	Europe	1	111.8 (246.5)	6,056 L / 1,600 gal.	220-240V	√	√
56466	Asia, Africa & Latin America	1	109.3 (241.0)	6,056 L / 1,600 gal.	220-240V		√

Water Capacity (90%): 19,281 L (5,094 gal.)

6.40 m x 2.74 m x 1.32 m / 21' x 9' x 52"

					4	Manager 1	I A
ITEM	REGION	PACK	KG (LBS)	SAND FILTER PUMP	VOLTAGE	COVER	LADDER
5612B	Europe	1 Ea., 2 boxes	139.5 (307.5)	6,056 L / 1,600 gal.	220-240V	$\sqrt{}$	$\sqrt{}$
5612B	Asia, Africa & Latin America	1 Ea., 2 boxes	137.5 (303.2)	6,056 L / 1,600 gal.	220-240V		$\sqrt{}$



STEEL PRO MAXTM SPLASHVIEWTM

These pools offer both kids and parents a truly unique experience.

With built-in windows, kids can wave to onlookers while gliding by, and parents can easily keep an eye on them as they swim underwater!





TECHNOLOGY HIGHLIGHTS - PRODUCT DESIGN

CLICKCONNECT™ JOINTS

Quick-click system and rust prevention

FROSTED FINISH

Prevents pool liner from sticking in a hot environment

TRITECH®

3-layer puncture resistant liner material







PRODUCT MATRIX - POOL RANGE


4.27 m x 1.07 m - 14′ x 42″	Steel Pro MAX™ Splashview™ Round Pool	Refer to International Catalog
4.88 m x 1.22 m - 16' x 48"	Steel Pro MAX™ Splashview™ Round Pool	Refer to International Catalog
4.27 m x 2.50 m x 1.00 m 14' x 8'2" x 39.5"	Steel Pro MAX™ Splashview™ Oval Pool	Refer to International Catalog
4.88 m x 3.05 m x 1.07 m 16' x 10' x 42"	Steel Pro MAX™ Splashview™ Oval Pool	PG. 40
5.49 m x 2.74 m x 1.22 m 18' x 9' x 48"	Steel Pro MAX™ Splashview™ Oval Pool	Refer to International Catalog
4.88 m x 2.44 m x 1.22 m 16' x 8' x 48"	Steel Pro MAX™ Splashview™ Rectangular Pool	PG. 42

39

STEEL PRO MAX™ **SPLASHVIEW**TM

ABOVE GROUND POOLS






Water Capacity (90%): 10,949 L (2,893 gal.)

4.88 m x 3.05 m x 1.07 m / 16' x 10' x 42" KG (LBS) **SAND FILTER PUMP** 56946 76.0 (167.5) 3,596 L / 950 gal. 220-240V Europe 56946 3,596 L / 950 gal. Asia, Africa & Latin America 75.2 (165.7) 220-240V



















TRITECH® CONSTRUCTION



No Tools Required

Packaging: Sturdy Cardboard Box with

STEEL PRO MAX™ **SPLASHVIEW**TM

ABOVE GROUND POOLS






Water Capacity (90%): 11,532 L (3,046 gal.)

4.88 m x	2.44 m x 1.22 m / 10	5' x 8' x 48	3"	20	4		Manager 1	雕
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	LADDER
561MC	North America	1	96.1 (211.9)	3,028 L / 800 gal.	110-120V	Type: III - A/C	√	√
561MC	Oceania	1	96.1 (211.9)	3,028 L / 800 gal.	220-240V	Type: II	√	
561MB	Europe	1	98.4 (217.0)	3,028 L / 800 gal.	220-240V	Type: II	√	
561MB	Asia, Africa & Latin America	1	95.4 (210.4)	3,028 L / 800 gal.	220-240V	Type: II	√	
561MC	Asia. Africa & Latin America	1	95.4 (210.4)	3.028 L / 800 gal.	110-120V	Type: III - A/C		



























TANXTM

The look of a stock tank pool meets the convenience of a Bestway® pool.

With an innovative structure, new pool owners can quickly create the backyard of their dreams.







FASTLATCH™ SYSTEM

Fast and easy setup

GALVANIZED STEEL WALL





TANXTM

STOCK TANK **ABOVE GROUND POOLS**






Water Capacity (90%): 3,790 L (1,001 gal.)

3.05 m x	61 cm / 10' x 24"			2 0	7	U		
ITEM	REGION	PACK	KG (LBS)	FILTER PUMP	VOLTAGE	CARTRIDGE	COVER	
561RV	North America	1	52.3 (115.4)	1,249 L / 330 gal.	110-120V	Type: I	√	
561RV	Oceania	1	51.8 (114.1)	1,249 L / 330 gal.	220-240V	Type: I		
561RW	Europe	1	51.5 (113.5)	1,249 L / 330 gal.	220-240V	Type: I		














4 MOVABLE CUP HOLDERS











Packaging: Full Color Box



AGPACCESSORIES

Bestway® offers a range of pool products to take care of maintenance and cleaning so you can enjoy your pool (and relaxation!) for many years to come!

0

uaTronix™ G150

52

Round Pool Dome

i3

loor Protector

AQUATRONIX™ G150 ROBOTIC POOL VACUUM

58960

AGP ACCESSORIES





MAIN FEATURES:

- Recommended for flat-bottom above ground pools up to 30 m² (323 ft.²) in total area
- Recommended pool sizes:

Round - Up to 6.1 m (20') in diameter

Rectangular - Up to 7.32 m (24') in length

Oval - Up to 7.32 m (24') in length

- Not compatible with steel wall pools
- Automatic pool cleaner propels itself along the bottom of the pool to collect debris
- Built-in rechargeable battery runs for approximately 60 min. & recharges in 3.5-6 hours
- Cordless design for full range motion; eliminates tangled cords
- Built-in sensors activate the device when fully submerged in water and deactivate it when out of the water for motor protection
- Directional jet system creates optimal movability and pivots easily when encountering walls or obstacles

- Top handles for quick direction changes & easy retrieval from the water
- Large 2.0 L (0.53 gal.) easy-to-clean debris compartment
- Quick-click buckle clasps for easy assembly and maintenance
- Full color box
- 1 Ea., 3.9 kg (8.6 lbs)



ROUND POOL DOME 58612

AGP ACCESSORIES





FLOOR PROTECTOR 58639 AGP ACCESSORIES





MAIN FEATURES:

- Compatible with above ground pools up to 4.88 m (16') in diameter
- UPF 50+ sun protection
- 2 entry points & 8 large, transparent windows
- Setup time: 30 min.
- Full color box

ITEM	SIZE	CORRESPONDING POOL - FITS:	PACK	KG (LBS)
58612	6.00 m x 6.00 m x 2.95 m /	Up to 4.88 m / 16'	1	20.7 (45.7)

MAIN FEATURES:

- Product Coverage: 2.25 sq. m / 24.2 sq. ft.
- Multiple packages may be needed to cover the desired area
- Durable polyethylene
- Provides added protection for pools or spas
- Grey color allows differentiation from all the standard floor protectors and better matches with medium/high level pools
- Shrink wrapped with insert card

ITEM	SIZE	CONTENT	COLORS	PACK	KG (LBS)
58639	50 cm x 50 cm / 20" x 20"	9 Pieces	•	30	22.8 (50.3)

53





HOTTUBS

Nearly a decade of advanced engineering and innovations have built a global name that people know and trust. Lay-Z-Spa® offers an affordable hot tub experience that's convenient to use, easy to set up and offers total relaxation. 52

Miami AirJet™ 4 Black

i6 ¹

Boracay AirJet™ 4 Blue Marble

2

Palm Spring AirJet™ 6 Sand

76

Mauritius AirJet™ 7 Grey

82

Helsinki AirJet™ 7 Brown Barrel

STANDARD SERIES

NEW GEN



PRODUCT NAME	MIAMI AIRJET™ 4 DARK BLUE	MIAMI AIRJET™ 4 BLACK	MIAMI AIRJET™ 6 DARK GREEN	IBIZA AIRJET™ 6 DARK GREEN	BORACAY AIRJET™ 4 BLUE MARBLE	HOLLYWOOD AIRJET™ 6 BLACK WAVES	HOLLYWOOD AIRJET™ 6 MARBLE
ITEM NUMBER	6001C	60001	6001D	6002U	60175	60059	6001F
CAPACITY	2-4 PEOPLE	2-4 PEOPLE	4-6 PEOPLE	4-6 PEOPLE	2-4 PEOPLE	4-6 PEOPLE	4-6 PEOPLE
MATERIAL	PVC & TRITECH®	PVC & TRITECH®	PVC & TRITECH®	PVC & TRITECH®	PVC & TRITECH®	PVC & TRITECH®	PVC & TRITECH®
PUMP TYPE	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL
MASSAGE TECH	AIRJET™	AIRJET™	AIRJET™	AIRJET™	AIRJET™	AIRJET™	AIRJET™
CONSTRUCTED SIZE	1.80 M X 66 CM 71" X 26"	1.80 M X 66 CM 71" X 26"	1.96 M X 66 CM 77" X 26"	1.80 M X 1.80 M X 66 CM 71" X 71" X 26"	1.80 M X 66 CM 71" X 26"	1.96 M X 66 CM 77" X 26"	1.80 M X 1.80 M X 66 CM 71" X 71" X 26"
WATER CAPACITY	669 L (177 GAL.)	669 L (177 GAL.)	908 L (240 GAL.)	778 L (205 GAL.)	669 L (177 GAL.)	908 L (240 GAL.)	778 L (205 GAL.)
NUMBER OF AIRJETS	120	120	140	140	120	140	140
NUMBER OF WATER JETS	N/A	N/A	N/A	N/A	N/A	N/A	N/A
KEY FEATURES		****	*	***		* - 0 -	₩ -Ö- □
PAGE	Refer to International catalog	P. 62	Refer to International catalog	Refer to International catalog	P. 66	Refer to International catalog	Refer to International catalog

KEY FEATURES:



PRODUCT MATRIX: HOT TUBS RANGE











IP INTEGRATED PUMP





IN INTEGRATED NOZZLES


MAXHOLD™ SERIES


NEW GEN




PRODUCT NAME	PALM SPRINGS AIRJET™ 6 SAND	HAWAII AIRJET™ 6 TERRACOTTA	HAWAII AIRJET™ 6 BLUE	HAWAII AIRJET™ 8 GREY	BALI AIRJET™ 6 GREY RATTAN	BALI AIRJET™ 7 BROWN RATTAN	ROME AIRJET™ 6 BROWN MARBLE
ITEM NUMBER	60017	6001G	6001H	6001J	6001N	6001P	6001K
CAPACITY	4-6 PEOPLE	4-6 PEOPLE	4-6 PEOPLE	6-8 PEOPLE	4-6 PEOPLE	5-7 PEOPLE	4-6 PEOPLE
MATERIAL	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®
PUMP TYPE	EXTERNAL	ULTRAFIT™	ULTRAFIT™	ULTRAFIT™	ULTRAFIT™	ULTRAFIT™	ULTRAFIT™
MASSAGE TECH	AIRJET™	AIRJET™	AIRJET™	AIRJET™	AIRJET™	AIRJET™	AIRJET™
CONSTRUCTED SIZE	1.96 M X 71 CM 77" X 28"	1.96 M X 71 CM 77" X 28"	1.80 M X 1.80 M X 71 CM 71" X 71" X 28"	2.36 M X 71 CM 93" X 28"	1.96 M X 71 CM 77" X 28"	2.16 M X 71 CM 85" X 28"	1.80 M X 1.80 M X 71 CM 71" X 71" X 28"
WATER CAPACITY	916 L (242 GAL.)	980 L (259 GAL.)	840 L (222 GAL.)	1,440 L (380 GAL.)	980 L (259 GAL.)	1,260 L (333 GAL.)	840 L (222 GAL.)
NUMBER OF AIRJETS	140	140	140	190	140	180	140
NUMBER OF WATER JETS	N/A	N/A	N/A	N/A	N/A	N/A	N/A
KEY FEATURES	****	P W IP		P 💥 IP		P 💥 IP	
PAGE	P. 72	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog













IN INTEGRATED NOZZLES

PRODUCT MATRIX: HOT TUBS RANGE


MAXHOLD™ SERIES



PRODUCT NAME	ROME AIRJET™ 7 SAND MARBLE	MAURITIUS AIRJET™ 7 GREY	DOMINICA HYDROJET™ 6 BROWN	SANTORINI HYDROJET PRO™ 7 GREY	MALDIVES HYDROJET PRO™ 7 BURGUNDY
ITEM NUMBER	6001M	60067	60015	6001T	6001U
CAPACITY	5-7 PEOPLE	5-7 PEOPLE	4-6 PEOPLE	5-7 PEOPLE	5-7 PEOPLE
MATERIAL	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®
РИМР ТҮРЕ	ULTRAFIT™	EXTERNAL	EXTERNAL	EXTERNAL	EXTERNAL
MASSAGE TECH	AIRJET™	AIRJET™	HYDROJET™	HYDROJET PRO™	HYDROJET PRO™
CONSTRUCTED SIZE	2.01 M X 2.01 M X 71 CM 79" X 79" X 28"	2.70 M X 1.80 M X 71 CM 8'11" X 71" X 28"	1.96 M X 71 CM 77" X 28"	2.16 M X 80 CM 85" X 31.5"	2.01 M X 2.01 M X 80 CM 79" X 79" X 31,5"
WATER CAPACITY	1,180 L (312 GAL.)	1,370 L (362 GAL.)	810 L (214 GAL.)	1,190 L (314 GAL.)	1,050 L (277 GAL.)
NUMBER OF AIRJETS	180	180	140	180	180
NUMBER OF WATER JETS	N/A	N/A	4	10	10
KEY FEATURES	₹ IP	2 🕸			
PAGE	Refer to International catalog	P. 76	Refer to International catalog	Refer to International catalog	Refer to International catalog

KEY FEATURES:





-\(\overline{\ov

IP INTEGRATED PUMP

IS INTEGRATED SEATS





IN INTEGRATED NOZZLES

MAXHOLD™ SERIES

THERMACORE™ SERIES

FORTIFIBER™ SERIES










PRODUCT NAME	SAN FRANCISCO HYDROJET PRO™ 7 GREY MARBLE	CABO HYDROJET™ 6 BROWN RATTAN	CARRARA AIRJET™ 6 GREY STONE	TORONTO AIRJET™ 7 BROWN WOOD	HELSINKI AIRJET™ 7 BROWN BARREL
ITEM NUMBER	6001Q	6001R	6001V	6001W	60025
CAPACITY	5-7 PEOPLE	4-6 PEOPLE	4-6 PEOPLE	5-7 PEOPLE	5-7 PEOPLE
MATERIAL	MAXHOLD™ & TRITECH®	MAXHOLD™ & TRITECH®	THERMACORE™ TRITECH® COVER	THERMACORE™ TRITECH® COVER	FORTIFIBER™
PUMP TYPE	EXTERNAL	EXTERNAL	ULTRAFIT™	ULTRAFIT™	EXTERNAL
MASSAGE TECH	HYDROJET PRO™	HYDROJET™	AIRJET™	AIRJET™	AIRJET™
CONSTRUCTED SIZE	2.30 M X 2.30 M X 71 CM 90.5" X 90.5" X 28"	1.80 M X 1,80 M X 71 CM 71" X 71" X 28"	1.70 M X 65 CM 67" X 25.5"	1,90 M X 70 CM 75" X 27.5"	1.80 M X 66 CM 71" X 26"
WATER CAPACITY	1,180 L (312 GAL.)	795 L (210 GAL.)	850 L (225 GAL.)	1,250 L (331 GAL.)	1,123 L (297 GAL.)
NUMBER OF AIRJETS	180	140	140	180	180
NUMBER OF WATER JETS	10	4	N/A	N/A	N/A
KEY FEATURES				3 ★ ♠ P □	∃ ¥ €0
PAGE	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog	P. 82



















STANDARD SERIES

PVC CONSTRUCTION

ESSENTIAL STRENGTH AND COMFORT

The internal construction of these hot tubs is designed to offer superior structural stability while still maintaining a comfortable surface.



MIAMI AIRJET™ 4 BLACK 60001





MAIN FEATURES:

- Soothing AirJet™ bubble massage system (120 jets)
- Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced safety cover with lock clips

CONTENTS:

1 liner, 1 cover, 1 pump, filter cartridge (VI), 1 ChemConnect® dispenser, repair patch



Filter

Cartridge














Exterior Cover











TRITECH® WALL & TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



AIRJET™ MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



FREEZE SHIELD® TECHNOLOGY

These hot tubs have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.

HOT TUB FEATURES



WARM AIR



POWER SAVING TIMER



NO TOOLS REQUIRED




MAX TEMP 40°C (104°F)



GROUND FAULT
DETECTION SYSTEM

* MOST HOT TUBS HAVE GROUND
FAULT DETECTION SYSTEM (GDS).

DIGITAL CONTROL PANEL





SPECIFICATIONS

ITEM NUMBER	60001
WATER CAPACITY	669 L (177 GAL.)
INFLATED SIZE	1.80 M X 66 CM (71" X 26")
INNER SIZE	1.32 M (52")
FILLED WEIGHT	695 KG (1,532 LBS)
RATING	220-240V~ 50HZ, 2050W AT 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.5-2.0°C/H (3-4°F/H)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 EA., 32.75 KG (72.20 LBS)

PACKAGING

Full Color Box



65

BORACAY AIRJET™ 4 BLUE MARBLE 60175















SMARTPHONE APP

MAIN FEATURES:

- Soothing AirJet™ bubble massage system (120 jets)
- Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced cover with lock clips

CONTENTS:

1 liner, 1 cover, 1 pump, filter cartridge (VI), 1 ChemConnect® dispenser, repair patch

















Exterior Cover











TRITECH® WALL & TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



AIRJET™ MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



FREEZE SHIELD® TECHNOLOGY

These hot tubs have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.



BESTWAY **SMARTPHONE APP**

This innovation makes the Lay-Z-Spa compatible with smart devices. The app lets users set their hot tub to the perfect temperature. They can also activate the Power-Saving Timer, the water filter, and the AirJet massage system with the touch of a button!



SPECIFICATIONS

	ITEM NUMBER	60175
	WATER CAPACITY	669 L (177 GAL.)
	INFLATED SIZE	1.80 M X 66 CM (71" X 26")
	INNER SIZE	1.32 M (52")
	FILLED WEIGHT	695 KG (1,532 LBS)
	RATING	220-240V~ 50HZ, 2050W AT 20°C (68°F)
	ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
	HEATING SYSTEM	APPROX. 1.5-2.0°C/H (3-4°F/H)
	CERTIFICATION	CE/GS
	PACK/GROSS WEIGHT	1 EA., 32.83 KG (72.38 LBS)

HOT TUB FEATURES



WARM AIR

NO TOOLS REQUIRED



POWER SAVING TIMER




MAX TEMP 40°C (104°F)



GROUND FAULT
DETECTION SYSTEM

* MOST HOT TUBS HAVE GROUND
FAULT DETECTION SYSTEM (GDS).

DIGITAL CONTROL PANEL





PACKAGING

Full Color Box



68




MAXHOLDTM SERIES

MAXHOLD™ CONSTRUCTION

PREMIUM AIR RETENTION

MaxHold™ fabric internal beams prevent stretching and air loss, ensuring the hot tub consistently maintains its shape even with repeated inflation and deflation.



PALM SPRINGS AIRJET™ 6 SAND 60017









FREEZE SHIELD® TECHNOLOGY

CAPACITY 4-6 PEOPLE

MAIN FEATURES:

- Soothing AirJet™ bubble massage system (140 jets)
- Ultra-strong TriTech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & hot tub pump with integrated filtration system includes two cup holders and is accessible from inside the hot tub
- Reinforced safety cover with lock clips

CONTENTS:

1 liner, 1 cover, 1 pump, 1 ChemConnect® dispenser, filter cartridge (VI), repair patch














Exterior Cover





Cartridge







TRITECH® WALL & TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



MAXHOLD™ BEAMS

MaxHold™ internal beams maintain their shape over time, enabling the hot tub to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the hot tub market.



AIRJET™ MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



FREEZE SHIELD® TECHNOLOGY

These hot tubs have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.





WARM AIR

NO TOOLS REQUIRED



POWER SAVING TIMER



)


MAX TEMP 40°C (104°F)




GROUND FAULT
DETECTION SYSTEM

* MOST HOT TUBS HAVE GROUND
FAULT DETECTION SYSTEM (GDS).

DIGITAL CONTROL PANEL





SPECIFICATIONS

ITEM NUMBER	60017
WATER CAPACITY	916 L (242 GAL.)
INFLATED SIZE	1.96 M X 71 CM (77" X 28")
INNER SIZE	1.46 M (57")
FILLED WEIGHT	946 KG (2,086 LBS)
RATING	220-240V~ 50HZ, 2050W AT 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.5-2.0°C/H (3-4°F/H)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 EA., 37.45 KG (82.56 LBS)

PACKAGING

Full Color Box



74

MAURITIUS AIRJET™ 7 GREY 60067











CAPACITY 5-7 PEOPLE

SMARTPHONE APP

MAIN FEATURES:

- Soothing AirJet™ bubble massage system (180 jets)
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & hot tub pump with integrated filtration system includes two cup holders and is accessible from inside the hot tub
- Reinforced safety cover with lock clips

CONTENTS:

1 liner, 1 cover, 1 pump, 1 ChemConnect® dispenser, filter cartridge (VI), repair patch














Exterior Cover






Cartridge







TRITECH® WALL & TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



MAXHOLD™ BEAMS

MaxHold™ internal beams maintain their shape over time, enabling the hot tub to hold its intended pressure and sturdiness. Made from a durable fabric material rather than PVC, they set the standard for internal stretch-resistance in the hot tub market.



AIRJET™ MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



FREEZE SHIELD® TECHNOLOGY

These hot tubs have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.



BESTWAY **SMARTPHONE APP**

This innovation makes the Lay-Z-Spa compatible with smart devices. The app lets users set their hot tub to the perfect temperature. They can also activate the Power-Saving Timer, the water filter, and the AirJet massage system with the touch of a button!

HOT TUB FEATURES



WARM AIR

NO TOOLS REQUIRED



POWER SAVING TIMER



N 4


MAX TEMP 40°C (104°F)



GROUND FAULT
DETECTION SYSTEM

* MOST HOT TUBS HAVE GROUND
FAULT DETECTION SYSTEM (GDS).

DIGITAL CONTROL PANEL





SPECIFICATIONS

ITEM NUMBER	60067
WATER CAPACITY	1,370 L (362 GAL.)
INFLATED SIZE	2.70 M X 1.80 M X 71 CM (8'11" X 71" X 28")
INNER SIZE	2.20 M X 1.30 M (7'3" X 51")
FILLED WEIGHT	1,406 KG (3,099 LBS)
RATING	220-240V~ 50HZ, 2050W AT 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.0-1.5°C/H (2-3°F/H)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 EA., 45.34 KG (99.96 LBS)

PACKAGING

Full Color Box



78



FORTIFIBERTM SERIES

DROP STITCH CONSTRUCTION

Inflated walls made from FortiFiber™ material provide unparalleled strength. Thousands of fine threads securely connect the sidewalls, which seal in air to create a rigid and sturdy hot tub. FortiFiber's compact structure also provides durability and more space inside the hot tub.



HELSINKI AIRJET™ 7 BROWN BARREL 60025













CAPACITY 5-7 PEOPLE

SMARTPHONE

MAIN FEATURES:

- Soothing AirJet™ bubble massage system (180 jets)
- Walls are made of FortiFiber™ material, providing a strong and durable hard-sided hot tub
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & hot tub pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced safety cover with lock clips

CONTENTS:

1 liner, 1 cover, 1 pump, 1 ChemConnect® dispenser, 1 high pressure hand pump, filter cartridge (VI), repair patch















Exterior Cover



Cartridge







FORTIFIBER™ MATERIAL DROP STITCH

The FortiFiber™ walls are constructed using thousands of fine threads to securely connect the internal walls, seal in air, and provide lightweight rigidity that is similar to a hard-sided hot tub.



AIRJET™ MASSAGE SYSTEM

Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing warm air into the water, surrounding you with a calming bubble massage.



FREEZE SHIELD® TECHNOLOGY

These hot tubs have built-in sensors so water temperature never falls below your comfort level. Freeze Shield automatically increases water circulation when temperatures are low to prevent inner parts from becoming damaged.



BESTWAY **SMARTPHONE APP**

This innovation makes the Lay-Z-Spa compatible with smart devices. The app lets users set their hot tub to the perfect temperature. They can also activate the Power-Saving Timer, the water filter, and the AirJet massage system with the touch of a button!

HOT TUB FEATURES



WARM AIR



POWER SAVING TIMER




MAX TEMP 40°C (104°F)



GROUND FAULT
DETECTION SYSTEM

* MOST HOT TUBS HAVE GROUND
FAULT DETECTION SYSTEM (GDS).

DIGITAL CONTROL PANEL





SPECIFICATIONS

ITEM NUMBER	60025
WATER CAPACITY	1,123 L (297 GAL.)
INFLATED SIZE	1.80 M X 66 CM (71" X 26")
INNER SIZE	1.70 M (67")
FILLED WEIGHT	1,152 KG (2,540 LBS)
RATING	220-240V~ 50HZ, 2050W AT 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/H (350 GAL./H)
HEATING SYSTEM	APPROX. 1.0-1.5°C/H (2-3°F/H)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 EA., 37.65 KG (83.00 LBS)

PACKAGING

Full Color Box



TECHNICAL FEATURES & ACCESSORY COMPATIBILITY



























	LAY-Z-SPA® ACCESSORIES	60340 LAY-Z-SPA* HYDROGENIC™ 0.5 G/H SALTWATER CHLORINATOR	60337 LAY-Z-SPA° 4-IN-1 ACCESSORY TRAY	60327 LAY-Z-SPA° RECHARGEABLE UNDERWATER VACUUM	60321 LAY-Z-SPA° HOT TUB SEAT	60322 Lay-z-spa° Soothing led Waterfall	60304 LAY-Z-SPA° CANOPY	60305 LAY-Z-SPA° DOME	60306 Lay-Z-SPA° Drink Holder	60307 LAY-Z-SPA° PILLOW	60316 LAY-Z-SPA° PADDED PILLOW	60310 LAY-Z-SPA° ALL IN ONE TOOL SET	60334 LAY-Z-SPA° FLOOR PROTECTOR	60311 LAY-Z-SPA° FILTER CARTRIDGE (VI)
	6001C MIAMI AIRJET™ 4 DARK BLUE			•					•				•	•
	60001 MIAMI AIRJET™ 4 BLACK								•					
	60175 BORACAY AIRJET™ 4 BLUE MARBLE		•						•					
	6001D MIAMI AIRJET™ 6 DARK GREEN		•	•	•	•			•				•	
	60059 HOLLYWOOD AIRJET™ 6 BLACK WAVES		•		•	•			•				•	
	6001F HOLLYWOOD AIRJET™ 6 MARBLE		•	•	•	•			•				•	
	6001H HAWAII AIRJET™ 6 BLUE		•						•	•			•	•
	6001K ROME AIRJET™ 6 BROWN MARBLE	•	•	•	•	•	•		•	•	•	•	•	•
	60017 PALM SPRINGS AIRJET™ 6 SAND	•	•		•				•				•	•
AIRJET™	6001N BALI AIRJET™ 6 GREY RATTAN		•									•		
	6001G HAWAII AIRJET™ 6 TERRACOTTA		•											
	6001M ROME AIRJET™ 7 SAND MARBLE	•	•		•		•		•			•	X2	
	6001P BALI AIRJET™ 7 BROWN RATTAN		•										X2	
	60067 MAURITIUS AIRJET™ 7 GREY		•		•				•			•	X2	
	6001W TORONTO AIRJET™ 7 BROWN WOOD													
	6001V CARRARA AIRJET™ 6 GREY STONE		•		•							•		
	60025 HELSINKI AIRJET™ 7 BROWN BARREL		•											
	6002U IBIZA AIRJET™ 6 DARK GREEN		•											
	6001J HAWAII AIRJET™ 8 GREY		•						•				X2	
	6001S DOMINICA HYDROJET™ 6 BROWN	•	•		•		•		•			•	•	•
HYDROJET™	6001R CABO HYDROJET™ 6 BROWN RATTAN		•											
	6001T SANTORINI HYDROJET PRO™ 7 GREY	•	•	•					•	•		•	X2	•
DROJET PRO™	6001U MALDIVES HYDROJET PRO™ 7 BURGUNDY												X2	
	6001Q SAN FRANCISCO HYDROJET PRO™ 7 GREY MARBLE												X2	

ENERGYSENSE® THERMAL HOT TUB COVER COMPATIBILITY















	LAY-Z-SPA® ENERGYSENSE®	60317	60318	60326	60331	60319	60332	60333
	THERMAL HOT TUB COVER	1.87 M X 63 CM 74" X 25"	1.99 M X 68 CM 78" X 27"	2.28 M X 73 CM 90" X 29"	2.43 M X 70 CM 96" X 27.5"	1.85 M X 1.85 M X 68 CM 73" X 73" X 27"	2.08 M X 2.08 M X 79 CM 82" X 82" X 31"	2.37 M X 2.37 M X 70 CM 93" X 93" X 27.5"
	6001C MIAMI AIRJET™ 4 DARK BLUE							
	60001 MIAMI AIRJET™ 4 BLACK							
	60175 BORACAY AIRJET™ 4 BLUE MARBLE	•						
	6001D MIAMI AIRJET™ 6 DARK GREEN							
	60059 HOLLYWOOD AIRJET™ 6 BLACK WAVES							
	6001F HOLLYWOOD AIRJET™ 6 MARBLE					•		
	6001H HAWAII AIRJET™ 6 BLUE							
	6001K ROME AIRJET™ 6 BROWN MARBLE							
	60017 PALM SPRINGS AIRJET™ 6 SAND							
AIRJET™	6001N BALI AIRJET™ 6 GREY RATTAN							
	6001G HAWAII AIRJET™ 6 TERRACOTTA							
	6001M ROME AIRJET™ 7 SAND MARBLE						•	
	6001P BALI AIRJET™ 7 BROWN RATTAN							
	60067 MAURITIUS AIRJET™ 7 GREY							
	6001W TORONTO AIRJET™ 7 BROWN WOOD							
	6001V CARRARA AIRJET™ 6 GREY STONE							
	60025 HELSINKI AIRJET™ 7 BROWN BARREL							
	6002U IBIZA AIRJET™ 6 DARK GREEN					•		
	6001J HAWAII AIRJET™ 8 GREY							
	6001S DOMINICA HYDROJET™ 6 BROWN							
HYDROJET™	6001R CABO HYDROJET™ 6 BROWN RATTAN							
	6001T SANTORINI HYDROJET PRO™ 7 GREY			•				
HYDROJET PRO™	6001U MALDIVES HYDROJET PRO™ 7 BURGUNDY							
	6001Q SAN FRANCISCO HYDROJET PRO™ 7 GREY MARBLE							





WATERSPORTS

The wide range of kayaks and sport boats offered by Bestway® means every water explorer can find exactly what they're looking for. From different sizes to materials, these kayaks are perfect for beginners and advanced adventurers.

Surge Elite™ X1 Kayak Set

Angler Elite™ X1 Fishing Kayak Set

Arrow Elite™ X1 Kayak Set

Beacon Elite™ Sport Boat Set

ENHANCED MATERIALS





- ENHANCES PUNCTURE-RESISTANCE
- INCREASES TENSILE STRETCH-RESISTANCE FOR RIGIDITY AND SPEED WHEN PADDLING
- IMPROVES PRESSURE RETENTION, MAXIMIZING STABILITY AND MINIMIZING AIR LOSS

 ENGINEERED FOR DURABILITY WITH ENHANCED ABRASION RESISTANCE AND IS MORE PUNCTURE-RESISTANT (THAN A STANDARD PVC KAYAK/RAFT/BOAT)



 COMPOSED OF THOUSANDS OF DROP STITCH THREADS CREATING A DURABLE, RIGID STRUCTURE THAT IS ALSO LIGHTWEIGHT AND PORTABLE



 HAS GREATER PRESSURE RETENTION & RIGIDITY WITH INCREASED PUNCTURE-RESISTANCE & DURABILITY AGAINST THE ELEMENTS (THAN A STANDARD PVC KAYAK)

HYDRO FORCE® KAYAKS RANGE





ITEM N.	65176	65077	65132	65118	65052
NAME	RAPID™ X1 KAYAK SET	RAPID™ X2 KAYAK SET	RAPID™ X3 KAYAK SET	VENTURA ELITE™ X1 KAYAK SET	VENTURA ELITE™ X2 KAYAK SET
CAPACITY (PEOPLE)	1	2	3	1	2
SIZE	2.90 m x 91 cm 9' 6" x 36"	3.21 m x 1.00 m 10′ 6″ x 39″	3.81 m x 1.00 m 12'6" x 39	2.80 m x 86 cm 9'2" x 34"	3.30 m x 86 cm 10' 10" x 34"
MATERIAL	INFLATA-SHIELD™	INFLATA-SHIELD™	INFLATA-SHIELD PRO™	COATED NYLON	COATED NYLON
PADDLE	•	X2	X2		X2
HAND PUMP	•		•		
REMOVABLE FIN	X2	X2	X2	X2	X2
REPAIR PATCH	REPAIR PATCH	REPAIR PATCH	REPAIR PATCH	REPAIR PATCH	REPAIR PATCH
SEAT	•	X2	Х3		X2
CARRY BAG	•	•	•		
PAGE	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog	Refer to International catalog

	1	I				
ITEM N.	65115	65131	65178	65179	65180	65197
NAME	COVE CHAMPION™ X1 KAYAK SET	COVE CHAMPION™ X2 KAYAK SET	DASH ELITE™ X1 KAYAK SET	ARROW ELITE™ X1 KAYAK SET	SURGE ELITE™ X1 KAYAK SET	ANGLER ELITE™ X1 FISHING KAYAK SET
CAPACITY (PEOPLE)	1	2	1			
SIZE	2.75 m x 81 cm 9' x 32"	3.31 m x 88 cm 10′ 10″ x 35″	3.35 m x 92 cm x 30 cm 11′ x 36″ x 12″	3.65 m x 73 cm x 30 cm 12' x 29" x 12"	3.12 m x 94 cm x 30 cm 10' 3" x 37" x 12"	3.80 m x 99 cm 12' 6" x 39"
MATERIAL	INFLATA-SHIELD™	INFLATA-SHIELD™	FORTIFIBER™ AIRE, TOUGHLITE™ TPU	FORTIFIBER™	TRITECH*	FORTIFIBER™ AIRE, RIPSTOP COVE
PADDLE		X2				
HAND PUMP						
REMOVABLE FIN	X2	X2	X2	X2	X2	X2
REPAIR KIT / PATCH	REPAIR PATCH	REPAIR PATCH	REPAIR KIT	REPAIR KIT	REPAIR PATCH	REPAIR KIT
SEAT		X2				
CARRY BAG			420D BACKPACK	1680D BACKPACK	1680D BACKPACK	1680D BACKPACK
PAGE	Refer to International catalog	Refer to International catalog	Refer to International catalog	p. 98	р. 96	p. 97

94

SURGE ELITE™ X1 KAYAK SET





COMPLIANCE / CERTIFICATION: FEATURES & DESIGN:

- User Capacity: 1 adult
- Weight Capacity: 130 kg (286 lbs)

STRUCTURE SPECS:

- Inflated Size: 3.12 m x 94 cm x 30 cm / 10′ 3″ x 37″ x 12″
- Deflated Size: 3.16 m x 97 cm / 10′ 4″ x 38″
- 3 air chamber construction
- Elite Series: Superior Construction with Premium Features & Accessories for Better Performance
- Tritech® 3-ply construction is engineered for durability with enhanced abrasion resistance and is more puncture-resistant* (than a standard PVC kayak)
- Rigid, inflatable, self-bailing floor provides stability with drain holes that let out excess water to help keep the cockpit dry
- Designed for efficient maneuverability and spray protection in rough water

- 1 adjustable, molded foam seat with supportive high back and storage compartment
- Inflatable booster pad for elevated seating
- 1 floor-mounted footrest
- 2 removable fins in different sizes for directional support in various water conditions
- Performance Ratings: Stability 3.5/5; Speed: 4/5; Tracking: 3/5; Maneuverability: 4.5/5
- Elastic cords for added storage
- Premium, durable backpack with large front pocket
- 4 heavy-duty carry handles
- 230 cm (91") aluminum paddle (#62174)
- 2800 mL dual action hand pump with 0.5-2.0 PSI pressure gauge (analog)

VALVES:

Quick inflation/deflation Boston Valves

PACKAGING:

- Full color box
- 1 Ea., 15.4 kg (33.9 lbs)

CONTENTS:

• 1 kayak, 1 paddle, 1 hand pump, 2 fins, 1 seat, 1 seat booster pad, 1 footrest, 1 backpack, repair patch

ANGLER ELITE™ X1 FISHING KAYAK SET 65197 ···



Measure Your Catch up to 0.6 m (24 in.)

COMPLIANCE / CERTIFICATION:

- User Capacity: 1 adult
- Weight Capacity: 180 kg (397 lbs)

STRUCTURE SPECS:

- Inflated Size: 3.80 m x 99 cm / 12′ 6″ x 39″
- Deflated Size: 3.86 m x 1.02 m / 12' 8" x 40"
- 3 air chamber construction
- Elite Series: Superior Construction with Premium Features & Accessories for Better Performance
- Puncture-resistant ripstop cover has 2x greater pressure retention & rigidity* with increased durability against the elements (*compared to a standard PVC kayak)
- FortiFiber™ Aire drop stitch internal threads create a lightweight, premium floor for maximum rigidity and is designed for improved stability and speed with non-skid EVA mat in the center of the floor
- Spacious design with enhanced stability and added fishing features

FEATURES & DESIGN:

- 1 removable galvanized steel seat to use on the kayak or the shoreline with storage compartments under and a zip pocket behind
- 1 floor-mounted footrest
- 2 removable fins in different sizes for directional support in various water conditions
- Performance Ratings: Stability 4.75/5; Speed: 4/5; Tracking: 4/5; Maneuverability: 3.5/5
- Oar clasps to secure paddle when not in use
- Keel features a water separator for better tracking and improved speed
- 3 Multi-Mount™ universal bases fit most fishing accessories, such as cup holders, rod holders, anchor cleats, and beyond (not included)
- Non-skid EVA mat
- Elastic cords for added storage
 Fish measuring tool/built-in ruler to measure your catch
 Partial grab ropes with built-in D-rings make it easier to
- hold onto and re-enter the kayak
- Premium, durable backpack with large front pocket

VALVES:

- High pressure inflation/deflation valve
- Quick-inflation/deflation Boston Valves

PACKAGING:

- Full color box
- 1 Ea., 20.5 kg (45.2 lbs)

3 MULTI-MOUNT™ universal bases for most fishing accessories









1 kayak, 1 paddle, 1 hand pump,

 4 heavy-duty carry handles 2 fins, 1 seat, 1 footrest, 230 cm (91") aluminum paddle (#62174) 1 backpack, repair kit • Single action hand pump with pressure gauge (analog)

ARROW ELITE X1

ARROW ELITE™ X1 KAYAK SET 65179

TOURING



Adjustable, Molded Foam Seat

COMPLIANCE / CERTIFICATION:

- User Capacity: 1 adult
- Weight capacity: 160 kg (352 lbs)

STRUCTURE SPECS:

- Inflated Size: 3.65 m x 73 cm x 30 cm / 12' x 29" x 12"
- Deflated Size: 3.63 m x 62 cm / 11' 11" x 24"
- 3 air chamber construction
- Elite Series: Superior Construction with Premium Features & Accessories for Better Performance
- FortiFiber™ drop stitch construction is made of internal threads that are engineered for supreme rigidity, maximum strength, speed and tracking
- Narrow shape cuts through water to quickly cover long distances

FEATURES & DESIGN:

- 1 adjustable, molded foam seat with supportive high back and High pressure inflation/deflation valves storage compartment
- 1 floor-mounted footrest
- 2 removable fins in different sizes for directional support in various water conditions
- Performance Ratings: Stability 2.75/5; Speed: 5/5; Tracking: 5/5; Maneuverability: 2.75/5
- Elastic cords for added storage
- Premium, durable backpack with large front pocket
- 4 heavy-duty carry handles
- 230 cm (91") aluminum paddle (#62174)
- 1500 mL single action hand pump with 3.0-10.0 PSI pressure gauge (analog)

VALVES:

PACKAGING:

Full color box

1 Ea., 21.9 kg (48.4 lbs)

CONTENTS:

■ 1 kayak, 1 paddle, 1 hand pump, 2 fins, 1 seat, 1 footrest, 1 backpack, repair kit



HYDRO FORCE® BOATS RANGE



ITEM N.	65177	65046	65049	65185
NAME	CORINTH ELITE™ SPORT BOAT SET	CASPIAN ELITE™ SPORT BOAT SET	MIROVIA ELITE™ SPORT BOAT SET	BEACON ELITE™ SPORT BOAT SET
CAPACITY (PEOPLE)	2 ADULTS	2 ADULTS	5 ADULTS	5 ADULTS
SIZE	2.30 m x 1.30 m x 33 cm 7′ 6″ x 51″ x 13″	2.30 m x 1.30 m x 33 cm 7' 6" x 51" x 13"	3.30 m x 1.62 m x 44 cm 10' 10" x 64" x 17"	3.35 m x 1.60 m x 47 cm 11' x 63" x 18.5"
MATERIAL	TRITECH®	TRITECH® / FORTIFIBER™ FLOOR	TRITECH® / FORTIFIBER™ FLOOR	TRITECH® / FORTIFIBER™ FLOOR
HAND PUMP	•	•	•	
REPAIR KIT	•	•		
PAIR OF OARS	•	•		
CARRY BAG	•		•	
PAGE	Refer to International catalog	Refer to International catalog	Refer to International catalog	р. 101

BEACON ELITE™ SPORT BOAT SET 65185





COMPLIANCE / CERTIFICATION:

- User Capacity: 5 adults
- Weight Capacity: 640 kg (1,411 lbs)

STRUCTURE SPECS:

- Inflated Size: 3.35 m x 1.60 m x 47 cm / 11' x 63" x 18.5"
- Deflated Size: 3.32 m x 1.92 m / 10′ 11" x 76"
- 3 air chamber construction
- Elite Series: Superior Construction with Premium Features & Accessories for Better Performance
- Tritech® 3-ply wall construction is engineered for durability with enhanced abrasion resistance and is more punctureresistant (than a standard PVC boat)
- FortiFiber™ floor construction is composed of thousands of drop stitch threads, which creates a durable, rigid structure that is also lightweight and portable

FEATURES & DESIGN:

- Sturdy aluminum bench seat
- Omni-directional oarlocks
- Durable strake protects against impact and friction
- Partial grab ropes with built-in grommets make it easier to hold onto and re-enter the boat
- 15 HP motor mount with tube transom (motor not included)
- Secure tie-down for oil and gas can
- Easy setup no tools required Carry bag for easy transportation and storage
- 5 heavy-duty carry handles
- 1 pair of 162 cm (64") aluminum oars
- 1500 mL single action hand pump with 3.0-10.0 PSI pressure gauge (analog)

High pressure inflation/deflation valves

PACKAGING:

- Sturdy Cardboard Box with Pictures
- 1 Ea., 36.2 kg (79.8 lbs)

CONTENTS:

• 1 boat, 1 pair of oars, 1 hand pump, 1 carry bag, repair kit



SUMMER

Bestway® has all the makings for summertime fun. Stylish and comfortable lounges, outdoor mega water parks, bouncers and family pools, and more make it the best summer ever for your customers. Live It Up this summer with Bestway!

Flex 'N Fold™ Recliner Lounge

105

Flex 'N Fold™ Lounge

Everluxe™ Hammock Lounge

Everluxe™ Noodle Sling

Everluxe™ Floating Mat

Blue Rectangular Family Pool

Purrfect Pets™ Playhouse

Jump and Soar™ Mega Bouncer

114 Super Speedway™ Mega Water Park

Mount Splashblast™ Mega Water Park

Turbo Splash™ Mega Water Park

FLEX 'N FOLD™ RECLINER LOUNGE

43733
SUMMER


ComfortCool™

Cup Holder

MAIN FEATURES:

- 1.88 m x 98 cm x 38 cm / 74" x 38.5" x 15"
- Convenient pop-up structure is ready for inflation in seconds
- Easy to twist and fold for quick and compact storage
- Comfortable and damage-resistant fabric construction
- ComfortCool™ soft mesh provides a relaxing cooling effect
- Comfortable reclined backrest
- 1 cup holder
- 2 air chambers
- Weight Capacity: 140 kg (309 lbs)
- Carry bag with round insert card + PDQ
- 8 Ea., 15.9 kg (35.1 lbs)





FLEX 'N FOLD™ LOUNGE 43552



MAIN FEATURES:

ComfortCool™

- 1.71 m x 94 cm x 16 cm / 67.5" x 37" x 6"
- Convenient pop-up structure is ready for inflation in seconds
- Easy to twist and fold for quick and compact storage
- Comfortable and damage-resistant fabric construction
- ComfortCool™ soft mesh provides a relaxing cooling effect
- Built-in supportive pillow
- 1 cup holder
- 2 air chambers
- Weight Capacity: 130 kg (287 lbs)
- Carry bag with round insert card + PDQ
- 8 Ea., 13.9 kg (30.6 lbs)





EVERLUXE[™] **HAMMOCK LOUNGE**

43909

AGE 14+ | SUMMER





UV Protected



MAIN FEATURES:

- 1.22 m x 65 cm x 15 cm / 48" x 25" x 6"
- 4-in-1 convertible structure use as a flat lounge, pool chair, hammock or saddle seat
- Quick-drying, smooth and resilient UV protected fabric
- Lightweight foam beads provide buoyancy
- ComfortCool™ soft mesh provides a relaxing cooling effect
- Adjustable shoulder strap float folds and rolls for easy transport
- Weight Capacity: 100 kg (220 lbs)
- Hangtag + PDQ
- 4 Ea., 4.6 kg (10.1 lbs)





EVERLUXE[™] **NOODLE SLING** 43908

AGE 14+ | SUMMER



ComfortCool™










- 92 cm x 66 cm x 20 cm / 36" x 26" x 8"
- Quick-drying, smooth and resilient UV protected fabric
- Lightweight foam beads provide buoyancy
- ComfortCool™ soft mesh provides a relaxing cooling effect
- Weight Capacity: 100 kg (220 lbs)
- Hangtag + PDQ
- 10 Ea., 18.3 kg (40.3 lbs)





EVERLUXE™ FLOATING MAT

43913





- 1.83 m x 90 cm x 20 cm / 72" x 35" x 8"
- Quick-drying, smooth and resilient UV protected fabric
- Lightweight foam beads provide buoyancy
- Durable mesh bottom for quick and easy drainage
- 2 convenient nylon carry handles for easy transport
- 1 lounge
- Weight Capacity: 140 kg (309 lbs)
- Hangtag + PDQ
- 4 Ea., 15.6 kg (34.5 lbs)






BLUE RECTANGULAR **FAMILY POOL** 54150



MAIN FEATURES:

- 3.05 m x 1.83 m x 46 cm / 10' x 6' x 18"
- Textured pattern on outer walls
- 2 equal rings
- Extra wide sidewalls
- Releases pool water with the easy-to-use drain valve
- Interlocking quick-release valve
- Water Capacity: 850 L (224 gal.)
- Full color box
- 2 Ea., 12.5 kg (27.5 lbs)



Cool Textured

Pattern





52007

AGE 2+ | SUMMER



- Easy snap PVC construction
- No tools needed



- 1.02 m x 76 cm x 1.14 m / 40" x 30" x 45"
- For indoor and outdoor use

- 1 retractable door & 2 transparent windows
- Full color box
- 6 Ea., 9.0 kg (19.8 lbs)

JUMP AND SOAR™ **MEGA BOUNCER**

53394 53395

AGE 3+ | SUMMER



Included




220-240v - Blower 1 Set, 12.2 kg (26.8 lbs)

110-120V - Blower 1 Set, 12.5 kg (27.6 lbs)

- 1.94 m x 1.75 m x 1.70 m / 6'4" x 5'9" x 5'7"
- Designed for outdoor and indoor use
- Quick & easy setup with heavy-duty blower that inflates the entire park in less than 2 minutes
- Made of durable double-stitched PVC-coated polyester
- Mesh walls and single entryway & exit
- Full color box
- Contents: 1 bouncer, 1 blower, 1 repair kit (multiple assorted patches), 1 storage bag, 8 bouncer stakes, 2 blower stakes

- Maximum User Weight Capacity (Whole Product): 113 kg (250 lbs)
- Individual Weight Capacity: 38 kg (83 lbs)
- Maximum Number of Users: 3
- Maximum Fall Height: 39 cm (15")
- Critical Fall Height: 1.57 m (62")





SUPER SPEEDWAY™ MEGA WATER PARK

53377 53378



Included



53377

220-240V - Blower 1 Set, 34.5 kg (76.0 lbs)

53378

110-120V - Blower 1 Set, 34.8 kg (76.8 lbs)

- 5.51 m x 5.02 m x 2.65 m / 18'1" x 16'6" x 8'8"
- Designed for outdoor use
- Quick & easy setup with heavy-duty blower that inflates the entire park in less than 2 minutes
- Made of durable double-stitched PVC-coated polyester
- 2-lane water slide
- Mesh sidewalls
- Extra-large splash pool with tunnel
- Double climbing wall with padded grab handles
- Surprise soak bucket randomly dumps water and keeps slide slippery
- 2 point 'n spray water blasters
- Basketball hoop and ball

- Full color box
- Contents: 1 water park, 1 blower,
- 1 repair kit (multiple assorted patches),
 - 1 storage bag, 10 water park stakes, 2 blower stakes, 1 spraying hose, 1 basketball
 - Maximum Number of Users: 9
 - Maximum User Weight Capacity (Whole Product): 490 kg (1,080 lbs)
 - Maximum Weight Per User: 54 kg (120 lbs)
 - Maximum Number of Users for Each Platform Area: 2
 - Maximum Number of Users for Each Slide Area: 1
 - Maximum Fall Height: 1.45 m (57")
 - Critical Fall Height: 1.72 m (68")
 - Water Capacity: 2.7 cbm (713 gal.)





MOUNT **SPLASHBLAST™ MEGA WATER PARK** 53478

53479





Included



53478

220-240V - Blower 1 Set, 25.0 kg (55.1 lbs)

53479

110-120V - Blower 1 Set, 24.9 kg (54.9 lbs)

- Quick & easy setup with heavy-duty blower that inflates the entire park in less than 2 minutes
- Made of durable double-stitched PVC-coated polyester
- Water slide
- Mesh sidewalls
- Large splash pool
- Climbing wall with padded grab handles and rope
- 1 point 'n spray water blaster with kid-powered drench button
- Surprise soak bucket randomly dumps water and keeps slide slippery
- Full color box

- Contents: 1 water park, 1 blower, 1 repair kit 4.35 m x 2.86 m x 2.67 m / 14'3" x 9'5" x 8'9" (multiple assorted patches), 1 storage bag, Designed for outdoor use 10 water park stakes, 2 blower stakes, 1 anchor bag, 1 spraying hose
 - Maximum Number of Users: 5
 - Maximum User Weight Capacity (Whole Product): 270 kg (595 lbs)
 - Maximum Weight Per User: 54 kg (120 lbs)
 - Maximum Number of Users for Each Platform Area: 1
 - Maximum Number of Users for Each Slide Area: 1
 - Maximum Fall Height: 1.43 m (56")
 - Critical Fall Height: 1.73 m (68")
 - Water Capacity: 1.09 cbm (288 gal.)





TURBO SPLASH™ MEGA WATER PARK

53408 53409








53408

220-240V - Blower 1 Set, 25.7 kg (56.6 lbs)

110-120V - Blower 1 Set, 25.7 kg (56.6 lbs)

- 3.65 m x 3.20 m x 2.70 m / 12′ x 10′6″ x 8′10″
- Designed for outdoor use
- Quick & easy setup with heavy-duty blower that inflates the entire park in less than 2 minutes
- Made of durable double-stitched PVC-coated polyester
- 1-lane water slide
- Mesh sidewalls
- Large splash pool
- Climbing wall with padded grab handles
- 1 point 'n spray water blaster
- Drain valve for guick and easy water release
- Surprise soak bucket randomly dumps water and keeps slide slippery

- Full color box
- Contents: 1 water park, 1 blower, 1 repair kit (multiple assorted patches), 1 storage bag, 8 water park stakes, 2 blower stakes, 1 spraying hose, 1 anchor bag
- Maximum Number of Users: 5
- Maximum User Weight Capacity (Whole Product): 270 kg (595 lbs)
- Maximum Weight Per User: 54 kg (120 lbs)
- Maximum Number of Users for Each Platform Area: 1
- Maximum Number of Users for Each Slide Area: 1
- Maximum Fall Height: 1.42 m (56")









CAMPING

Roughing it doesn't have to feel rough with Bestway's sleeping bags. Spending a night under the stars should be a memorable experience and Bestway has the perfect sleeping bags to keep campers happy, comfortable and warm.

22

NanderLite™ 2-in-1 Sleeping Bag & Air Pad

WANDERLITE™ 2-IN-1 SLEEPING BAG & AIR PAD 68123



to easily fit in your pack

Carry bag with hangtag & display

2-way zipper



• Ideal temperature range: 9°C / 48°F ~ 12°C / 54°F

Back sleeve fits air pad and prevents sliding during use



• Compact, packed size of 21 cm x 21 cm x 40 cm / 8.3" x 8.3" x 15.75"

■ Integrated air pad featuring puncture-resistant ToughLite™ TPU material


ToughLite[™] TPU








Pocket in hood for pillow or clothes (pillow not included)



ITEM#	SIZE	BUILT-IN PUMP	INFLATION TIME	STORAGE BAG	WEIGHT CAPACITY	CASE PACK	CASE WEIGHT
68123	2.03 m x 75 cm x 9 cm / 80" x 29.5" x 3.5"	_	_	•	_	6	13.0 kg (28.7 lbs)







BESTWAY

Bestway Europe

opens

1998

Bestway Central & South America opens

Introduced groundbreaking Fast Set pools



Solar panels installed across


2006



2008



2017 🗐 🗇



2019



2022



2024

1994

Bestway founded in Shanghai, China & first inflatable, the beach ball, was produced!



1999

Bestway Hong Kong & USA opens





Bestway Yancheng factory opens

2004



Revolutionized outdoor





2014



2018

2021



2023







AVARDS & Tocalades

Bestway is a world-renowned company who cares – and our awards are proof! We're proud to be recognized by top brands and retailers across the world who have honored us for our sustainability efforts, high-quality products, unmatched culture and exceptional customer service.

2017 2017 + 2019 2018 **INFLUENCE** THE YEAR Lay-Z-Spa On Climate **Walmart Supplier Change Mitigation Growth Forum** Paris AirJet 2021 2022 2022 THE YEAR Lay-Z-Spa Lay-Z-Spa **IE Magazine** Zurich Airlet, Thermal Covers Hollywood AirJet, Santorini HydroJet Pro, Zurich AirJet, Thermal Covers





MARKETING

2017

2018

GREAT PLACE TO WORK

2020

ENERGY-EFFICIENCY/ECO

Category Winner

2021

2022 - 2024



Best Companies in Arizona

SERVICE IN

2022

Garden & Pools

2022 + 2023

2022

GREAT PLACE

2022

GREAT PLACE

GREAT PLACE

2022

BEST BRAND

2023

2018

Lay-Z-Spa

Maldives HydroJet Pro

2023

ENTERPRISES

In the Chinese

Spa & Sauna

2023

SILVER HEALTH 8

San Francisco

2023

HydroJet Pro

ITEM	NAME PRODUCT	PAGE	ITEM	NAME PRODUCT	PAGE
43552	Flex 'N Fold™ Lounge	105	56709	Steel Pro MAX™ Round Pool Set	25
43733	Flex 'N Fold™ Recliner Lounge	104	56721	Steel Pro MAX™ Rectangular Pool Set	33
43908	Everluxe™ Noodle Sling	107	56722	Steel Pro MAX™ Rectangular Pool Set	33
43909	Everluxe™ Hammock Lounge	106	56946	Steel Pro MAX™ Splashview™ Oval Pool Set	41
43913	Everluxe™ Floating Mat	108	56985	Steel Pro® Round Pool	19
52007	Purrfect Pets™ Playhouse	111	57456	Fast Set™ Pool	15
53377	Super Speedway™ Mega Water Park	114	57457	Fast Set™ Pool Set	15
53378	Super Speedway™ Mega Water Park	114	57458	Fast Set™ Pool Set	15
53394	Jump and Soar™ Mega Bouncer	112	58612	Round Pool Dome	52
53395	Jump and Soar™ Mega Bouncer	112	58639	Floor Protector	53
53408	Turbo Splash™ Mega Water Park	118	58960	AquaTronix™ G150 Robotic Pool Vacuum	50
53409	Turbo Splash™ Mega Water Park	118	60001	Miami AirJet™ 4 Black	62
53478	Mount Splashblast™ Mega Water Park	116	60017	Palm Springs AirJet [™] 6 Sand	72
53479	Mount Splashblast™ Mega Water Park	116	60025	Helsinki AirJet™ 7 Brown Barrel	82
54150	Blue Rectangular Family Pool	110	60067	Mauritius AirJet™ 7 Grey	76
561MB	Steel Pro MAX™ Splashview™ Rectangular Pool Set	43	60175	Boracay AirJet™ 4 Blue Marble	66
561MC	Steel Pro MAX™ Splashview™ Rectangular Pool Set	43	65179	Arrow Elite™ X1 Kayak Set	98
561RV	TANX™ Round Pool Set	47	65180	Surge Elite™ X1 Kayak Set	96
561RW	TANX™ Round Pool Set	47	65185	Beacon Elite™ Sport Boat Set	101
5612B	Steel Pro MAX™ Rectangular Pool Set	36	65197	Angler Elite™ X1 Fishing Kayak Set	97
5614X	Steel Pro MAX™ Round Pool Set	27	68123	WanderLite™ 2-in-1 Sleeping Bag & Air Pad	122
5614Z	Steel Pro MAX™ Round Pool Set	27			
56442	Steel Pro MAX™ Rectangular Pool Set	35			
56456	Steel Pro MAX™ Rectangular Pool Set	35			
56457	Steel Pro MAX™ Rectangular Pool Set	35			
56466	Steel Pro MAX™ Rectangular Pool Set	36			
56488	Steel Pro MAX™ Round Pool Set	29			
56671	Steel Pro MAX™ Rectangular Pool Set	36			
56677	Steel Pro® Round Pool	21			
56678	Steel Pro® Round Pool Set	21			
56679	Steel Pro® Round Pool Set	21			
56680	Steel Pro® Round Pool Set	21			
56681	Steel Pro® Round Pool Set	21			
56686	Steel Pro MAX™ Round Pool Set	29			
56706	Steel Pro® Round Pool	21			



SPECIAL EDITION 2026

Bestway.