Get the best out of life. Embrace the freedom of adventure, soak in the serenity of relaxation, and enjoy quality time with those you value most.

LIVE IT UP with Bestway.



WWW.BESTWAYCORP.COM **f** O **D**

©2025 Bestway Inflatables & Material Corp. All rights reserved. ® ™ Trademarks owned and managed by Bestway Inflatables & Material Corp.



2026 CATALOG

Bestway.

2026 CATALOG COLLECTION


Enjoy our extensive collection of products in our six catalogs.

- Above Ground Pools
- Air Mattresses
- Hot Tubs
- Summer & License
- Watersports
- Camping Gear*
 Only available for INTL

Digital Catalogs

Easily access all of our catalogs while on the go. Ask your Sales Rep for the link to our catalog website, and Bestway® products will be right at your fingertips!

- View the latest catalogs
- Quickly flip through and find any product
- Check out product details, photos and even videos



OUR

Bestway® is dedicated to helping everyone Live It Up and enjoy vacay every day with its outdoor and indoor recreational products.

transformed into more than 1,100 different products available in over 120 countries worldwide.

With over 30 years in the industry, Bestway has forged a global presence, developing an extensive product line and becoming forward thinkers about sustainable business practices.



SHANGHAI, CHINA **HQ ● PRODUCTION**

No. 208 Jin Yuan Wu Road, Shanghai, 201812, China +86 21 6913 5588 info@bestwaycorp.com



HONG KONG, CHINA R&D • SUBSIDIARY

Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre, 66 Mody Road, Kowloon, Hong Kong +852 2997 7169 info@bestwaycorp.hk



ARIZONA, U.S.A. R&D • SUBSIDIARY

3435 S. McQueen Road, Chandler, AZ 85286, United States of America +1 480 838 3888 info@bestwaycorp.us



MILAN, ITALY R&D • SUBSIDIARY

Via Resistenza, 5 20098 San Giuliano M.se (Mi), Italy +39 02 9884 881 info@bestwaycorp.eu



SUBSIDIARY

Graaf van Landaststraat 148 9700 Oudenaarde, Belgium +32 475 93 45 86 info@bestwaycorp.be



BELGIUM / LUXEMBURG COPENHAGEN, DENMARK SUBSIDIARY

Amagertory 17, 3rd FI 1160 Copenhagen K, Denmark +45 78744569 info@bestwayscandinavia.eu



GERMANY / AUSTRIA SUBSIDIARY

Parkstraße 11 24534 Neumünster, Germany +49 4321 555 05 - 0 info@bestwaycorp.de



LYON. FRANCE SUBSIDIARY

69700 Chassagny Beauvallon +33 4 97 04 92 99 info@bestwaycorp.fr



WARSAW, POLAND SUBSIDIARY

223 rue des Metalliers ZI Les Platières UI. Ekologiczna 24 05-080 Klaudyn Poland +48 22 60 22 508 info@bestwaycorp.pl



DUBAI, U.A.E. SUBSIDIARY

Unit 805. Fortune Tower. Cluster C. Jumeirah Lake Towers. P O Box 120673 Dubai, United Arab Emirates + 9714-2622333 info@bestwayme.com



PARANÁ, BRAZIL SUBSIDIARY

Av. Melvin Jones, nº 1018, Quadra 001, Lote 025 - Maringá - PR - Brazil Zip Code: 87070-030 +55 44 3052-6006 info@bestwaycorp.com.br



SYDNEY, AUSTRALIA SUBSIDIARY

15 Millennium Court Silverwater NSW 2128, Australia +61 2 9037 1388 info@bestwaycorp.com.au



SANTIAGO, CHILE SUBSIDIARY

Av del Valle Sur 576, Ciudad Empresarial, Huechuraba, Santiago, Chile +562 3203 6400 info@bestwaycorp.lat

GLOBAL

Bestway® is poised for sustainable, global growth. From wholly owning its 5 factories - 4 in mainland China and 1 (soon to be 2) in Vietnam - to actively reducing and reusing waste and focusing on production efficiency, Bestway's strategic focus on an end-to-end manufacturing and distribution process results in faster delivery, superior product quality and the highest levels of customer satisfaction.

With the addition of its state-of-the-art, 233,000 square meters manufacturing facility in Vietnam, Bestway is primed for exponential growth while providing tariff savings and manufacturing redundancy while enhancing global shipping and supply chain support for many years to come.





YANCHENG







SHANGHAI



VIETNAM















OUR COMMITMENT TO A better future

As a leader in innovations, Bestway is striving to **B the Change** in the industry. We manufacture our products in 1.8 million square meters of factory buildings, each covered in solar panels to equal about 40 soccer fields.

As an annual recipient of the "Top Performing Supplier on Climate Action" award, we continue to drive sustainable practices forward through three main categories: renewable resources, waste and packaging.



Ongoing Energy Reduction Projects to Reduce Emissions



Reuse Water Reuse 38 in Multiple Facilities Categories of Materials



Annual CDP Disclosure



99.7% OF SCRAP MATERIALS ARE REUSED'

*0.3% of waste is incinerated

SQ. METERS OF

SOLAR

PANELS

20%

POWERED

BY SOLAR

30,000 **TONS OF PVC** REUSED IN 2024

OVER

PAPER PACKAGING MADE WITH

POST-CONSUMER **RECOVERED MATERIALS**











Over a decade of advanced engineering innovations have built a name that people all around the world have grown to trust.

Lay-Z-Spa® offers an affordable hot tub experience that's convenient to use, easy to set up and provides total relaxation.

Backed by the Bestway® customer service team, consumers can enjoy peace of mind while relaxing in their new hot tub.

With different massage technologies, Lay-Z-Spa offers the ultimate way to rest and recharge.



CONTENTS

HOTTUB **TECHNOLOGIES**

PRODUCT & MASSAGE TECHNOLOGY PG 12-13

PUMP TECHNOLOGY

PRODUCT SAFETY PG 16-17

SMARTPHONE APP

PRODUCT PLANOGRAM

PRODUCT MATRIX PG 22-23

I STANDARD SERIES

AIRJET™ 4 6001C | PG 26-29

AIRJET™ 6 6002U | PG 34-37

HOLLYWOOD LUXE AIRJET™ 6

HOLLYWOOD LUXE AIRJET™ 6

MAXHOLD* **SERIES**

SMART AIRJET™ 6

SMART AIRJET™ 6

SMART AIRJET™ 8

SMART AIR IFT™ 6

SMART AIRJET™ 6

THERMACORE[®] **SERIES**

CARRARA SMART AIRJET™ 6

TORONTO SMART AIRJET™ 7

GLACIAL DIP™

ICE BATH TUB

GLACIAL DIP™

ICE BATH TUB

I ICE BATH **SERIES**

GLACIAL DIP™ ICE BATH POD 6002K | PG 110-111

SMART AIRJET™ 7

SMART AIRJET™ 7

DOMINICA SMART HYDROJET™ 6

SMART HYDROJET[™] 6

SMART HYDROJET PRO™ 7 6001T | PG 86-89

MALDIVES SMART HYDROJET PRO™ 7

SAN FRANCISCO

LXTRAS

RECHARGEABLE UNDERWATER VACUUM

ALL IN ONE TOOL SET

POOL & SPA TEST STRIPS

POOL & SPA SALTWATER TEST STRIPS

FILTER CARTRIDGE (VI)

SALTWATER CHLORINATO

HOT TUB SEAT

FLOOR PROTECTOR

PADDED PILLOW

PILLOW

4-IN-1 ACCESSORY TRAY

7-COLOR LED LIGHT

SOOTHING LED WATERFALL

CANOPY

ROUND ENERGYSENSE® THERMAL COVERS

SQUARE ENERGYSENSE® THERMAL COVERS 60319, 60332, 60333 | PG 123

PRODUCT TECHNOLOGY



THE ORIGINAL PREMIUM PORTABLE SPA"

As a leading manufacturer of the inflatable, portable hot tub, Lay-Z-Spa® has become an industry staple that consumers know and trust. From technological innovations to style, Lay-Z-Spa leads the market. High-functioning components and durability are the main priorities of the hot tub line, providing consumers with products they can depend on.



FREEZE SHIELD® TECHNOLOGY


COMFORT IN THE COLD

Designed with innovative winterizing technology and an improved material, these hot tubs the inner parts from damage.



INCREASED ENERGY EFFICIENCY

HIGH HEAT RETENTION, LOW ELECTRICITY USE



MASSAGE TECHNOLOGY



© AIRJET™ O° SYSTEM

Soothe your body and relax your mind with the touch of a button! The AirJets work by releasing air into the water, surrounding you with a calming bubble massage.



Enjoy a deeper massage with the HydroJet System! Along with the bubble massage, there are a few adjustable nozzles next to the pump that release a more targeted massage.



🥨 HYDROJET PRO™

HydroJet Pro is the best of both worlds! Adjustable nozzles along the inside walls of the hot tub release soothing jetstreams of water, while jets along the bottom release a calming flow of air bubbles specifically targeting your feet and back.

PUMP TECHNOLOGY

Every Lay-Z-Spa hot tub set comes with a multi-function pump that inflates the ho tub, heats the water and runs the filtration system. Each hot tub is assembled using the pump, no additional tools required!

HIGH-TECH COMPONENTS AND DECREASED NOISE

EFFICIENT • DURABLE • RELIABLE

The internal pump components are designed to work efficiently, while reducing the noise level as much as possible during use. Engineered with a rotor and blade, our pumps are specifically designed to have a soft internal connection, reducing the noise.

ADVANCED HEATING SYSTEM


By using advanced materials to create our heating mechanism, we ensure efficient temperature control. The internal structure is protected by six layers of insulation to prevent electrical damage.



- ULTRAFIT™ PUMP

SPACE-SAVING SOLUTION

Some of our AirJet™ hot tub sets feature the UltraFit pump – a multi-function pump that is built directly into the liner. With all of the same functions as our standard pump, the UltraFit version saves valuable backyard space, expedites the installation process, and looks sleek and modern.





PRODUCT SAFETY

Safety is our top priority when designing and producing our inflatable hot tubs. We are consistently upgrading our products to ensure that consumer safety is never compromised. Currently, Lay-Z-Spa is the only brand on the market that uses this exclusive GDS & GLEDS technology.

GDS

GROUND DETECTION SYSTEM


With safety as a priority, every hot tub is equipped with our advanced, market-leading Ground Detection System, which monitors the energy supply to ensure it is being used safely. If the system detects an issue, the pump alerts the user and does not allow further use until the power supply is correctly earthed.





GLEDS GROUND LINE ELECTRIC DETECTION SYSTEM

Once the hot tub is plugged in, the system continuously monitors the ground of the electrical system in the house and will advise the user with the E18 code if there is other electricity detected.





16 | LAY-Z-SPA 2026

MATERIAL TECHNOLOGY

PVC CONSTRUCTION

ESSENTIAL STRENGTH AND COMFORT

The internal construction of these hot tubs is designed to offer superior structural stability while still maintaining a comfortable surface.

MAXHOLD** CONSTRUCTION

PREMIUM AIR RETENTION


MaxHold[™] fabric internal beams prevent stretching and air loss, ensuring the hot tub consistently maintains its shape even with repeated inflation and deflation.

THERMACORE™ CONSTRUCTION

EXCEPTIONAL STABILITY

ThermaCore™ foam construction creates a rigid, firm structure that is exceptionally sturdy and stable. Plus, with built-in foam insulation, it is up to 60% more energy-efficient than its inflatable counterparts.






TRITECH* MATERIAL

3-LAYER STRENGTH

This exclusive formula of mesh encased in PVC offers three layers of puncture, abrasion and stretch resistance to protect the hot tub.



SMARTPHONE APP CONTROL



DELIVERING CONVENIENCE AND COMFORT

With the Bestway SmartSpa™ app, control is right in the palm of your hand. This innovation makes the Lay-Z-Spa one of the most convenient in the market. Compatible with smart devices, the app lets you control the hot tub's temperature, run the filtration system, and control the massage system with just the touch of a button! Plus, you can even set a timer for the temperature and filtration systems.



HEAT CONTROL

Create, save and edit multiple timers to apply the perfect temperature anytime throughout the week




SETTIMER

Set the Power Saving Timer to only run the system during the selected times




FILIRATION

Allows for multiple timers to be created for water filter activation



PLANOGRAM



PACKAGING NOT TO SCALE

2026 LAY-Z-SPA MATRIX

FEATURES KEY



smartphone app



- LED LIGHTS



FREEZE SHIELD® OR POLAR-SHIELD™



IS INTEGRATED SEATS

	⊢————————————————————————————————————							NEW		— МАХНО	LD™ SERIES —							+THERMAC(DRE™ SERIES +	IC	E BATH SERIE	S
												The same										
	MIAMI AIRJET™ 4	MIAMI AIRJET™ 6	IBIZA AIRJET™ 6	HOLLYWOOD LUXE AIRJET™ 6	HOLLYWOOD LUXE AIRJET™ 6	HAWAII	HAWAII	HAWAII	BALI	BALI	ROME SMART AIRJET™ 6	ROME SMART AIRJET™ 7	DOMINICA SMART HYDROJET™ 6	CABO SMART HYDROJET™ 6	SANTORINI SMART HYDROJET PRO™ 7	MALDIVES SMART HYDROJET PRO™ 7	SAN FRANCISCO SMART HYDROJET PRO™ 7	CARRARA SMART AIRJET™ 6	TORONTO SMART AIRJET™ 7	GLACIAL DIP™ ICE BATH POD	GLACIAL DIP™ ICE BATH TUB	GLACIAL DIP™ ICE BATH TUB
ITEM NUMBER	6001C	6001D	6002U	60059	6001F											6001U	6001Q					
EXTERNAL CONSTRUCTION	Tritech® Material	Tritech® Material	Tritech® Material	Tritech® Material	Tritech® Material											Tritech® Material	Tritech® Material					
INTERNAL BEAMS	PVC Beams	PVC Beams	PVC Beams	PVC Beams	PVC Beams																	
MASSAGE TECHNOLOGY		AirJet™			AirJet [™]											HydroJet Pro [™]	HydroJet Pro [™]					
PUMP TYPE	External Pump	External Pump	External Pump		External Pump																	
ENERGY-EFFICIENT CONSTRUCTION																						
USER CAPACITY	2-4 Adults	4-6 Adults	4-6 Adults	4-6 Adults	4-6 Adults											5-7 Adults	5-7 Adults					
	Dark Blue	Dark Green	Dark Green	Black Waves	Marble											Burgundy	Grey Marble					
SHAPE					Square																	
CONSTRUCTED SIZE	1.80 m x 66 cm (71" x 26")	1.96 m x 66 cm (77" x 26")	1.80 m x 1.80 m x 66 cm (71" x 71" x 26")	1.96 m x 66 cm (77" x 26")	1.80 m x 1.80 m x 66 cm (71" x 71" x 26")																	
INNER SIZE	1.32 m (52")	1.48 m (58")	1.32 m x 1.32 m (52" x 52")	1.48 m (58")	1.32 m x 1.32 m (52" x 52")											1.51 m x 1.51 m (59" x 59")	1.80 m x 1.80 m (71" x 71")					
WATER CAPACITY	669 L (177 gal.)	908 L (240 gal.)	778 L (205 gal.)	908 L (240 gal.)	778 L (205 gal.)																	
NUMBER OF JETS	120				140												10 jetstream nozzles and 180 jets					
FEATURES			**************************************	¾ -\□́-	* -\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	₽ ₩	<u>ি</u> 💥	₽ ₩	₹	المُنْ الْمُنْ	<u>a</u>		₹	<u>ि</u> 💥		<u></u>	<u>-</u> ∰ -⊝- ⊗\ Is				**************************************	**************************************
PAGE	26-29	30-33	34-37	38-41	42-45									82-85								

STANDARD SERIES

PVC CONSTRUCTION

ESSENTIAL STRENGTH AND COMFORT

The internal construction of these hot tubs is designed to offer superior structural stability while still maintaining a comfortable surface.



24 | LAY-Z-SPA 2026 STANDARD SERIES |



AIRJET 4 6001C

- Soothing AirJet[™] bubble massage system (120 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced safety cover with lock clips

- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 1 repair patch



AIRJET^M 4

TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

ENERGYSENSE® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING





WATER CAPACITY	669 L (177 gal.)
INFLATED SIZE	1.80 m x 66 cm (71" x 26")
INNER SIZE	1.32 m (52")
FILLED WEIGHT	699 kg (1,541 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 37.85 kg (83.44 lbs)




FEATURES











DIGITAL CONTROL PANEL

LED Display Lock/Unlock Button

Celsius/ Fahrenheit Heat -Activation

Temperature/ Hour · Adjustment

Power Button
ON/OFF

Water Filter Activation

- AirJet™ Massage





AIRJET 6 6001D

- Soothing AirJet[™] bubble massage system (140 jets)
- Energy Sense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced safety cover with lock clips

- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 1 repair patch



MAM AIRJET™ 6 6001D

TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs.







WATER CAPACITY	908 L (240 gal.)
INFLATED SIZE	1.96 m x 66 cm (77" x 26")
INNER SIZE	1.48 m (58")
FILLED WEIGHT	942 kg (2,076 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 41.12 kg (90.65 lbs)




FEATURES











DIGITAL CONTROL PANEL

LED Display Lock/Unlock Button

Power Saving

Celsius/ Fahrenheit

Heat -Activation

Temperature/ Hour · Adjustment

Power Button
ON/OFF

Water Filter Activation

- AirJet™ Massage









32 | LAY-Z-SPA 2026





IBIZA AIRJET 6 6002U

- Soothing AirJet[™] bubble massage system (140 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced safety cover with lock clips

- 1 liner
- 1 cover
- 1 numn
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 1 repair patch





TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

ENERGYSENSE® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING



SPECIFICATIONS

WATER CAPACITY	778 L (205 gal.)
INFLATED SIZE	1.80 m x 1.80 m x 66 cm (71" x 71" x 26")
INNER SIZE	1.32 m x 1.32 m (52" x 52")
FILLED WEIGHT	812 kg (1,790 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 42.35 kg (93.36 lbs)

FEATURES









CAPACITY 4-6 PEOPLE



DIGITAL CONTROL PANEL

LED Display Lock/Unlock Button Power Saving

Celsius/ Fahrenheit Heat -Activation

Temperature/ Hour · Adjustment

Power Button
ON/OFF

Water Filter Activation

- AirJet™ Massage





HOLLYWOOD LUXE AIRJET 6 60059

- Soothing AirJet[™] bubble massage system (140 jets)
- Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Remote-controlled plug-in multicolored LED light shines through the semi-transparent liner to illuminate the water













- Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced safety cover with lock clips

CONTENTS

• 1 LED light strip

- 1 pump
- 4 pillows • 1 repair patch
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser



HOLLYWOOD
LUXE AIRJET^M 6
60059

TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



of Een Termion (6				
	WATER CAPACITY	908 L (240 gal.)		
	INFLATED SIZE	1.96 m x 66 cm (77" x 26")		
	INNER SIZE	1.48 m (58")		
	FILLED WEIGHT	938 kg (2,068 lbs)		
	RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)		
	ACTUAL WATER FLOW	1,325 L/h (350 gal./h)		
	HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)		
	CERTIFICATION	CE/GS		
	PACK/GROSS WEIGHT	1 Ea., 37.15 kg (81.90 lbs)		



FEATURES














MULTI-FUNCTION PUMP

7-COLOR LED LIGHTS



DIGITAL CONTROL PANEL

LED Display Lock/Unlock Button Celsius/ Fahrenheit Heat -Activation

Temperature/ Hour Adjustment

Power Button
ON/OFF

Water Filter Activation

- AirJet™ Massage



40 | LAY-Z-SPA 2026



HOLLYWOOD LUXE AIRJET 6 6001F

- Soothing AirJet[™] bubble massage system (140 jets)
- Ultra-strong Tritech® walls are stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Remote-controlled plug-in multicolored LED light shines through the semi-transparent liner to illuminate the water












- Power-saving, timer-controlled heating system
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Reinforced safety cover with lock clips

CONTENTS

• 1 LED light strip

- 4 pillows • 1 repair patch
- 1 pump
- 1 ChemConnect® dispenser

• 1 filter cartridge (VI)



HOLLYWOOD LUXE AIRJET^M 6 6001F

TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.



WATER CAPACITY	778 L (205 gal.)
INFLATED SIZE	1.80 m x 1.80 m x 66 cm (71" x 71" x 26")
INNER SIZE	1.32 m x 1.32 m (52" x 52")
FILLED WEIGHT	809 kg (1,783 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 38.51 kg (84.90 lbs)



FEATURES



CAPACITY 4-6 PEOPLE











PADDED PILLOWS

7-COLOR LED LIGHTS



DIGITAL CONTROL PANEL





44 | LAY-Z-SPA 2026

Temperature/ Hour · Adjustment

Power Button
ON/OFF

Water Filter Activation

- AirJet™ Massage



Enjoy calming moments in the luxury of your own backyard.



MAXHOLD SERIES

MAXHOLD™ CONSTRUCTION

PREMIUM AIR RETENTION

MaxHold[™] fabric internal beams prevent stretching and air loss, ensuring the hot tub consistently maintains its shape even with repeated inflation and deflation.





48 | LAY-Z-SPA 2026



HAVVAII SMARTAIRJET 6 6001G

- Soothing AirJet[™] bubble massage system (140 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit[™] pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

- 1 liner
- 1
- 1 pump
- . .
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 1 repair patch



HAWAII SMART AIRJET[™] 6

TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

MAXHOLD™ MATERIAL

INTERNAL BEAMS

MaxHold[™] fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

ENERGYSENSE® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

SPECIFICATIONS

WATER CAPACITY	980 L (259 gal.)
INFLATED SIZE	1.96 m x 71 cm (77" x 28")
INNER SIZE	1.51 m (59")
FILLED WEIGHT	1,014 kg (2,235 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 41.16 kg (90.74 lbs)



FEATURES









4-6 PEOPLE






SMARTPHONE



DIGITAL CONTROL PANEL



Temperature/ Hour Adjustment Power Button

Water Filter Activation

ON/OFF

Wi-Fi

Connection







HAVVAII SMARTAIRJET 6 6001H

- Soothing AirJet[™] bubble massage system (140 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold[™] fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit[™] pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 1 repair patch



HAWAII SMART AIRJET[™] 6

TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

MAXHOLD™ MATERIAL

INTERNAL BEAMS

MaxHold[™] fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

ENERGYSENSE® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs.

PATENT-PENDING **SPECIFICATIONS**

WATER CAPACITY	840 L (222 gal.)
INFLATED SIZE	1.80 m x 1.80 m x 71 cm (71" x 71" x 28")
INNER SIZE	1.30 m x 1.30 m (51" x 51")
FILLED WEIGHT	874 kg (1,926 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 41.60 kg (91.71 lbs)














4-6 PEOPLE







DIGITAL CONTROL PANEL

Temperature/

Hour - Adjustment


Power Button


ON/OFF

Water Filter

Activation

Wi-Fi Connection





56 | LAY-Z-SPA 2026 MAXHOLD™ SERIES | 57




NEW

HAVVAII SMARTAIRJET 8 6001J

- Soothing AirJet[™] bubble massage system (190 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit[™] pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

- 1 line
- 1 cover
- 1 pum
-
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 1 repair patch



HAWAII SMART AIRJET[™] 8

TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

MAXHOLD™ MATERIAL

INTERNAL BEAMS

MaxHold[™] fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

ENERGYSENSE® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

SPECIFICATIONS

WATER CAPACITY	1,440 L (380 gal.)
INFLATED SIZE	2.36 m x 71 cm (93" x 28")
INNER SIZE	1.91 m (75")
FILLED WEIGHT	1,482 kg (3,267 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 51.87 kg (114.35 lbs)



FEATURES















DIGITAL CONTROL PANEL

LED Display Lock/Unlock Button Power Saving Timer Celsius/ Fahrenheit Heat Activation AirJet™ Massage



Power Button ON/OFF

Water Filter Activation

Wi-Fi Connection



60 | LAY-Z-SPA 2026



BALI SMARTAIRJET 6

- Soothing AirJet[™] bubble massage system (140 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit[™] pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

- 1 liner
- 1
- 1 pump
- i pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 1 repair patch



BALI SMART AIRJET[®] 6

TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

MAXHOLD™ MATERIAL

INTERNAL BEAMS

MaxHold[™] fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

ENERGYSENSE® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

SPECIFICATIONS

WATER CAPACITY	980 L (259 gal.)
INFLATED SIZE	1.96 m x 71 cm (77" x 28")
INNER SIZE	1.51 m (59")
FILLED WEIGHT	1,014 kg (2,235 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 40.65 kg (89.62 lbs)



FEATURES










4-6 PEOPLE




MULTI-FUNCTION PUMP

SMARTPHONE



DIGITAL CONTROL PANEL



Temperature/ Hour - Adjustment Power Button

ON/OFF

Water Filter

Activation Wi-Fi Connection





BALI SMARTAIRJET 7 6001P

- Soothing AirJet[™] bubble massage system (180 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold[™] fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit[™] pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 1 repair patch



BALI SMART AIRJET[™] 7

TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

MAXHOLD™ MATERIAL

INTERNAL BEAMS

MaxHold[™] fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

ENERGYSENSE® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

SPECIFICATIONS

WATER CAPACITY	1,260 L (333 gal.)
INFLATED SIZE	2.16 m x 71 cm (85" x 28")
INNER SIZE	1.71 m (67")
FILLED WEIGHT	1,298 kg (2,861 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 46.21 kg (101.87 lbs)



FEATURES



CAPACITY

5-7 PEOPLE
















DIGITAL CONTROL PANEL



Temperature/ Hour - Adjustment Power Button

ON/OFF

Water Filter Activation

Wi-Fi Connection




68 | LAY-Z-SPA 2026



ROME SMARTAIRJET 6

- Soothing AirJet[™] bubble massage system (140 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit[™] pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

- 1 liner
- 1
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 1 repair patch



ROME SMART AIRJET^M 6

TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

MAXHOLD™ MATERIAL

INTERNAL BEAMS


MaxHold[™] fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

ENERGYSENSE® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

SPECIFICATIONS

WATER CAPACITY	840 L (222 gal.)
INFLATED SIZE	1.80 m x 1.80 m x 71 cm (71" x 71" x 28")
INNER SIZE	1.30 m x 1.30 m (51" x 51")
FILLED WEIGHT	874 kg (1,926 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 41.11 kg (90.63 lbs)



FEATURES



CAPACITY

4-6 PEOPLE











SMARTPHONE



DIGITAL CONTROL PANEL





72 | LAY-Z-SPA 2026

Temperature/

Hour Adjustment

Power Button

ON/OFF

Water Filter

Activation


Wi-Fi Connection



ROME SMARTAIRJET 7 6001M

- Soothing AirJet[™] bubble massage system (180 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold™ fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit[™] pump built into the liner with flip-up control panel, one-touch inflation, and hassle-free air pressure maintenance
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

- 1 liner
- 1 -----
- · 1 numn
-
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 1 repair patch



ROME SMART AIRJET 7 6001M

TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

MAXHOLD™ MATERIAL

INTERNAL BEAMS

MaxHold[™] fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

ENERGYSENSE® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

SPECIFICATIONS

WATER CAPACITY	1,180 L (312 gal.)
INFLATED SIZE	2.01 m x 2.01 m x 71 cm (79" x 79" x 28")
INNER SIZE	1.51 m x 1.51 m (59" x 59")
FILLED WEIGHT	1,219 kg (2,687 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 47.45 kg (104.61 lbs)



FEATURES










5-7 PEOPLE



∻

DIGITAL CONTROL PANEL



Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

Wi-Fi Connection





DOMINICA SMART HYDROJET 6

- Hydrodynamic water jetstream and air bubble massage system (4 jetstream nozzles and 140 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold[™] fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 4 pillows
- 1 repair patch



DOMNICA SMART HYDROJET 6 6001S

TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

MAXHOLD™ MATERIAL INTERNAL BEAMS

MaxHold[™] fabric internal beams maintain their

shape over time, providing superior air pressure retention and overall stability.

ENERGYSENSE® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

SPECIFICATIONS

WATER CAPACITY	810 L (214 gal.)
INFLATED SIZE	1.96 m x 71 cm (77" x 28")
INNER SIZE	1.46 m (57")
FILLED WEIGHT	854 kg (1,883 lbs)
RATING	220-240V~ 50Hz, 2150W at 20°C (68°F)
ACTUAL WATER FLOW	3,975 L/h (1,050 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE
PACK/GROSS WEIGHT	1 Ea., 54.97 kg (121.19 lbs)



FEATURES



CAPACITY

4-6 PEOPLE












PADDED





DIGITAL CONTROL PANEL





80 | LAY-Z-SPA 2026

· Connection

ON/OFF

Power Button

Adiustment

Water Filter

Activation

HydroJet™



CABO SMART HYDROJET 6 6001R

- Hydrodynamic water jetstream and air bubble massage system (4 jetstream nozzles and 140 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold[™] fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

CONTENTS

- 1 liner
- 1 cover
- 1 pump



 4 pillows • 1 repair patch

• 1 ChemConnect® dispenser

• 1 filter cartridge (VI)

CABO SMART HYDROJET 6 6001R

TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

MAXHOLD™ MATERIAL INTERNAL BEAMS

MaxHold[™] fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

ENERGYSENSE® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

SPECIFICATIONS

WATER CAPACITY	795 L (210 gal.)
INFLATED SIZE	1.80 m x 1.80 m x 71 cm (71" x 71" x 28")
INNER SIZE	1.30 m x 1.30 m (51" x 51")
FILLED WEIGHT	840 kg (1,852 lbs)
RATING	220-240V~ 50Hz, 2150W at 20°C (68°F)
ACTUAL WATER FLOW	3,975 L/h (1,050 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE
PACK/GROSS WEIGHT	1 Ea., 55.70 kg (122.80 lbs)





CAPACITY

4-6 PEOPLE









PADDED PILLOWS

SMARTPHONE

FEATURES









DIGITAL CONTROL PANEL





84 | LAY-Z-SPA 2026

· Connection

ON/OFF

Power Button

Adiustment

Water Filter

Activation

HydroJet™

Massage



SANTORINI SMART HYDROJET PRO 7

- Hydrodynamic water jetstream and air bubble massage system (10 jetstream nozzles and 180 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold[™] fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- ColorJet LED lights alternate between 7 different colors









- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 5 pillows
- 2 water powered LED lights
- 1 repair patch



SANTORINI SMART HYDROJET PRO[™] 7

TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

MAXHOLD™ MATERIAL INTERNAL BEAMS

MaxHold[™] fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

ENERGYSENSE® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

SPECIFICATIONS

WATER CAPACITY	1,190 L (314 gal.)
INFLATED SIZE	2.16 m x 80 cm (85" x 31.5")
INNER SIZE	1.66 m (65")
FILLED WEIGHT	1,252 kg (2,760 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)
CERTIFICATION	CE
PACK/GROSS WEIGHT	1 Ea., 76.31 kg (168.23 lbs)



FEATURES





MASSAGE SYSTEM

7-COLOR

LED LIGHTS







PUMP 5-7 PEOPLE




INTEGRATED

SEATS



SMARTPHONE



DIGITAL CONTROL PANEL



· Connection **Power Button** ON/OFF Adiustment Water Filter Activation



MAXHOLD™ SERIES | 89



MALDIVES SMART HYDROJET PRO 7 6001U

- Hydrodynamic water jetstream and air bubble massage system (10 jetstream nozzles and 180 jets)
- EnergySense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold[™] fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- ColorJet LED lights alternate between 7 different colors











- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 5 pillows
- 2 water powered LED lights
- 1 repair patch



MALDIVES SMART HYDROJET PRO 7 6001U

TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

MAXHOLD™ MATERIAL INTERNAL BEAMS

MaxHold[™] fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

ENERGYSENSE® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

SPECIFICATIONS

WATER CAPACITY	1,050 L (277 gal.)
INFLATED SIZE	2.01 m x 2.01 m x 80 cm (79" x 79" x 31.5")
INNER SIZE	1.51 m x 1.51 m (59" x 59")
FILLED WEIGHT	1,115 kg (2,458 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)
CERTIFICATION	CE
PACK/GROSS WEIGHT	1 Ea., 81.20 kg (179.01 lbs)



FEATURES





MASSAGE SYSTEM

7-COLOR

LED LIGHTS









IS INTEGRATED

SEATS

SMARTPHONE









92 | LAY-Z-SPA 2026

· Connection

ON/OFF

Power Button

Adiustment

Water Filter

Activation



SAN FRANCISCO SMART HYDROJET PRO 7 6001Q

- Hydrodynamic water jetstream and air bubble massage system (10 jetstream nozzles and 180 jets)
- Jet massage nozzles integrated into the back of the lounges and leg massage integrated into the single lounge
- Energy Sense® insulated walls and cover make this hot tub up to 40% more energy efficient
- Ultra-strong Tritech® walls are stress tested to offer durability
- MaxHold[™] fabric internal beams provide superior air pressure retention, stability and lightweight portability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- Digital control panel & pump with integrated filtration system includes cup holders and is accessible from inside the hot tub
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- ColorJet LED lights alternate between 7 different colors












- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

- 1 liner
- 1 cover
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 5 pillows
- 2 water powered LED lights
- 1 repair patch



SAN FRANCISCO SMART HYDROJET PRO 7 6001Q

TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

MAXHOLD™ MATERIAL INTERNAL BEAMS

MaxHold[™] fabric internal beams maintain their shape over time, providing superior air pressure retention and overall stability.

ENERGYSENSE® INSULATION

The innovative EnergySense multi-layer insulated construction prevents heat loss, making this hot tub as much as 40% more energy-efficient than similar inflatable hot tubs. PATENT-PENDING

SPECIFICATIONS

WATER CAPACITY	1,180 L (312 gal.)
INFLATED SIZE	2.30 m x 2.30 m x 71 cm (90.5" x 90.5" x 28")
INNER SIZE	1.80 m x 1.80 m (71" x 71")
FILLED WEIGHT	1,257 kg (2,771 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.0-1.5°C/h (2-3°F/h)
CERTIFICATION	CE
PACK/GROSS WEIGHT	1 Ea., 93.85 kg (206.90 lbs)



FEATURES





MASSAGE SYSTEM

LED LIGHTS







MULTI-FUNCTION





SMARTPHONE



DIGITAL CONTROL PANEL

Connection


ON/OFF


Power Button

Adiustment

Water Filter

Activation





96 | LAY-Z-SPA 2026 MAXHOLD™ SERIES | 97


THERMACORE SERIES

THERMACORE™ CONSTRUCTION

EXCEPTIONAL STABILITY

ThermaCore™ foam construction creates a rigid, firm structure that is exceptionally sturdy and stable. Plus, with built-in foam insulation, it is up to 60% more energy-efficient than its inflatable counterparts.






98 | LAY-Z-SPA 2026 THERMACORE™ SERIES |



CARRARA SMARTAIRJET 6 6001V

- Soothing AirJet™ targeted bubble massage system (140 jets)
- ThermaCore™ construction provides a sturdier, more durable option that is as much as 60% more energy-efficient than a traditional inflatable hot tub
- Ultra-strong Tritech® wall cover is stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit[™] pump built into the liner with flip-up control panel
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

- I IIIICI
- I cc
- 1 pump
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 4 pillows
- 1 repair patch



CARRARA SMART AIRJET 6

TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

THERMACORE™

CONSTRUCTION

ThermaCore[™] hot tubs are durable and sturdy with exceptional heat retention due to foam insulation, making them up to 60% more energy-efficient than inflatable hot tubs.





SPECIFICATIONS

WATER CAPACITY	850 L (225 gal.)
CONSTRUCTED SIZE	1.70 m x 65 cm (67" x 25.5")
INNER SIZE	1.50 m (59")
FILLED WEIGHT	882 kg (1,945 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.5-2.0°C/h (3-4°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 44.84 kg (98.85 lbs)





CAPACITY

4-6 PEOPLE





PUMP





PADDED PILLOWS

SMARTPHONE


FEATURES







DIGITAL CONTROL PANEL




Temperature/ Hour Adjustment Power Button

ON/OFF

Water Filter Activation

Wi-Fi Connection





TORONTO SMARTAIRJET 7 6001W

- Soothing AirJet™ targeted bubble massage system (180 jets)
- ThermaCore™ construction provides a sturdier, more durable option that is as much as 60% more energy-efficient than a traditional inflatable hot tub
- Ultra-strong Tritech® wall cover is stress tested to offer durability
- Freeze Shield® automatic heating prevents water from freezing & damaging the hot tub
- Program the hot tub heater up to 40 days in advance for future use
- UltraFit[™] pump built into the liner with flip-up control panel
- Built-in Wi-Fi module, hot tub can be controlled through a phone app
- ChemConnect® dispenser provides a stable level of chlorine throughout the hot tub
- Power-saving, timer-controlled heating system
- Reinforced safety cover with lock clips

- I IIIICI
- 1 cove
- 1 pump
- . p....p
- 1 filter cartridge (VI)
- 1 ChemConnect® dispenser
- 5 pillows
- 1 repair patch



TORONTO SMART AIRJET 7 6001W

TRITECH® MATERIAL

WALL AND TOP RING

The outer surface of this hot tub is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

THERMACORE™

CONSTRUCTION

ThermaCore[™] hot tubs are durable and sturdy with exceptional heat retention due to foam insulation, making them up to 60% more energy-efficient than inflatable hot tubs.



SPECIFICATIONS

WATER CAPACITY	1,250 L (331 gal.)
CONSTRUCTED SIZE	1.90 m x 70 cm (75" x 27.5")
INNER SIZE	1.70 m (67")
FILLED WEIGHT	1,288 kg (2,840 lbs)
RATING	220-240V~ 50Hz, 2050W at 20°C (68°F)
ACTUAL WATER FLOW	1,325 L/h (350 gal./h)
HEATING SYSTEM	Approx. 1.1-1.6°C/h (2.2-3.2°F/h)
CERTIFICATION	CE/GS
PACK/GROSS WEIGHT	1 Ea., 50.58 kg (111.51 lbs)



FEATURES





PADDED





CAPACITY 5-7 PEOPLE



SMARTPHONE



DIGITAL CONTROL PANEL

LED Display Lock/Unlock Button Power Saving Timer

> AirJet™ Massage


Celsius/ Fahrenheit Heat Activation

Temperature/ Hour Adjustment

Power Button ON/OFF

Water Filter Activation

Wi-Fi Connection



ICE BATH SERIES

TAKING THE PLUNGE INTO ICE BATHS

RESTORE, REJUVENATE, RECHARGE

Backyard ice baths offer a portable design and durable construction that is great for both newbies and experts.



GLACIAL DIP ICE BATH POD 6002K

TRITECH® MATERIAL

SIDEWALLS

The outer surface of this ice bath is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

- Tritech® puncture-resistant sidewalls are reliable against weight, strain and movement
- Polar-Shield[™] weather defense prevents liner from freezing or cracking in cold temperatures
- Corrosion-resistant galvanized steel frame with frosted finish
- Setup takes 20 minutes with 1-2 people
- Standard cover with rope fastener
- Pump's water flow rate (pump capacity): 1,249 L/h (330 gal./h; 1.0 m³/h) Integrated pool system water flow rate (system flow rate): 1,060 L/h (280 gal./h; 1.0 m³/h)
- Drain valve

CONTENTS


- 1 ice bath

1 cover 1 repair patch

- 1 filter cartridge (I)

SPECIFICATIONS

WATER CAPACITY (75%)	253 L (67 gal.)
PRODUCT SIZE	90 cm x 80 cm (35.5" x 31.5")
POOL DEPTH	60 cm (23.5")
FILLED WEIGHT	259 kg (571 lbs)
CERTIFICATION	CE
PACK/GROSS WEIGHT	2 Ea., 18.21 kg (40.15 lbs)



FEATURES







NEEDED















GLACIAL DIP ICE BATH TUB 6002N

TRITECH® MATERIAL

SIDEWALLS

The outer surface of this ice bath is constructed with premium Tritech® material, providing superior durability, stretch resistance and structural stability.

- Tritech® puncture-resistant sidewalls are reliable against weight, strain and movement
- Polar-Shield[™] weather defense prevents liner from freezing or cracking in cold temperatures
- Corrosion-resistant galvanized steel frame with frosted finish
- Setup takes 30 minutes with 1-2 people
- Standard cover with rope fastener
- Pump's water flow rate (pump capacity): 1,249 L/h (330 gal./h; 1.0 m³/h) Integrated pool system water flow rate (system flow rate): 1,060 L/h (280 gal./h; 1.0 m³/h)
- Drain valve

CONTENTS

- 1 ice bath
- 1 filter cartridge (I)
- 1 repair patch

SPECIFICATIONS

WATER CAPACITY (75%)	431 L (114 gal.)
PRODUCT SIZE	1.50 m x 90 cm x 65 cm (59" x 35.5" x 25.5")
POOL DEPTH	49 cm (19")
FILLED WEIGHT	440 kg (971 lbs.)
CERTIFICATION	CE
PACK/GROSS WEIGHT	2 Ea., 23.90 kg (52.69 lbs)

- 1 filter pump
- 1 cover

FEATURES






2 PEOPLE



NEEDED




INCLUDED











GLACIAL DIP ICE BATH TUB 6002Q

FORTIFIBER™ MATERIAL

SIDEWALLS

The FortiFiber™ walls are constructed using thousands of fine threads to securely connect the internal walls, seal in air, and provide lightweight rigidity that is similar to a hard-sided bath.

- FortiFiber[™] drop stitch walls are rigid, durable and lightweight
- Polar-Shield[™] weather defense prevents liner from freezing or cracking in cold temperatures
- Takes 5 minutes to inflate by hand pump with 1 person
- Reinforced Tritech® cover with locking clips
- Pump's water flow rate (pump capacity): 1,249 L/h (330 gal./h; 1.0 m³/h) Integrated pool system water flow rate (system flow rate): 1,060 L/h (280 gal./h; 1.0 m³/h)
- Quick inflation / deflation air valve
- Drain pipe

CONTENTS

- 1 ice bath
- 1 filter pump
- 1 filter cartridge
- 1 cover
- 1 carry bag
- 1 hand pump
- 1 repair patch

SPECIFICATIONS

WATER CAPACITY	420 L (111 gal.)
PRODUCT SIZE	1.52 m x 92 cm x 71 cm (60" x 36" x 28")
NNER SIZE	1.28 m x 68 cm (50" x 27")
POOL DEPTH	52 cm (20")
FILLED WEIGHT	434 kg (957 lbs)
CERTIFICATION	CE
PACK/GROSS WEIGHT	1 Ea., 18.52 kg (40.83 lbs)



FEATURES





2 PEOPLE















1.52 m

71 cm

92 cm 1.28 m x 68 cm

1.52 m

114 | LAY-Z-SPA 2026

ICE BATH SERIES | 115

XTRAS

ACCESSORIES TO COMPLEMENT YOUR HOT TUB

Take the dirty work out of hot tub maintenance with the wide variety of accessory options that Bestway® offers.



116 | LAY-Z-SPA 2026 XTRAS | 117











7. HOT TUB SEAT

• 40.8 cm x 31.5 cm x 20 cm / 16.06" x 12.40" x 7.87"

Firm, sturdy hot tub seat is comfortable for hours of relaxation

Seat legs can be adjusted to a custom height - from 8-12 cm (3.15"-4.72")

Weighted seats will remain at the bottom of the hot tub

• 2 Ea., 5.50 kg (12.13 lbs)

60321



1. RECHARGEABLE UNDERWATER VACUUM

60327

- Rechargeable battery-powered pump creates suction, without the use of hoses or electrical cords
- Charge time: 4-5 hours
- Simple press-button operation
- Ideal for hot tubs and small pools
- Pivoting suction head with wheels and brushes
- Debris is collected in an easy-to-access and
- Full color box
- 4 Ea., 5.22 kg (11.51 lbs)

- 1 USB charging cable

2. ALL IN ONE TOOL SET 60310

• Full color box

- 8 Ea., 7.30 kg (16.09 lbs)
- 1. SCOOP
- Bumper protects hot tub surface
- Rounded shape design fits the contours of the hot tub interior
- Deep net to collect debris
- Handheld or connects to standard telescopic pole

2. SCRUBBING MITT

- Latex glove bonded with scrubber pad

3. BRUSH

- Bumper and nylon bristles protect hot tub's surface
- Handheld or connects to standard telescopic pole

3. POOL & SPA TEST STRIPS

58142

- 4 cm x 9.50 cm / 1.50" x 3.75"
- 3-in-1 test strips use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4) & total alkalinity (0-240 ppm)
- 18-month shelf life
- Full color box
- 24 Ea., 1.37 kg (3.02 lbs)

4. POOL & SPA **SALTWATER** TEST STRIPS

58767

- 3.55 cm x 3.30 cm x 10.10 cm /
- Uses an instant color-match system to measure salt levels (0-8,000 ppm)
- 18-month shelf life
- Full color box
- 24 Ea., 1.27 kg (2.80 lbs)

25 test strips

5. FILTER CARTRIDGE (VI

60311

- 10.6 cm x 8.0 cm / 4.2" x 3.1"
- Easy to clean
- Shrink wrapped with insert card
- 12 Sets.. 2.79 kg (6.15 lbs)

NEW GEN

6. HYDROGENIC™ 0.5 G/H SALTWATER CHLORINATOR

60340

- Compatible with pools and hot tubs up to 1,400 L (369 gal.) in capacity

- Includes 3-in-1 test strips and saltwater test strips that use an instant color-match system to measure free chlorine (0-10 ppm), pH (6.2-8.4), total alkalinity (0-240 ppm) & salt (0-8,000 ppm)

- Built-in rechargeable battery runs for approximately 8 hours & recharges in 5-6 hours
- Uses salt to produce chlorine that keeps the water clean while being gentle on skin, eyes and hair
- Easy-to-use, one-touch control panel
- Timer runs 1–8 hours, in increments of 1 hour; chlorinator will run every 24 hours for the set amount of time

- 50 3-in-1 test strips
- 25 saltwater test strips

8. FLOOR PROTECTOR

60334

- Compatible with all hot tubs, multiple sets may be needed for hot tubs larger than 1.96 m x 1.96 m (77" x 77")
- Durable polyethylene material that provides protection under the hot tub
- Includes additional 46.4 cm x 36.3 cm (18.3" x 14.3") mat for under the hot tub heater
- Shrink wrapped with insert card
- 4 Ea., 10.01 kg (22.07 lbs)



9. PADDED PILLOW

60316

- 23 cm x 13 cm x 5 cm / 9" x 5" x 2"
- Adjustable strap drapes over the side of the hot tub, using the balance weight to keep it in place
- Compatible with all Lay-Z-Spas
- Comfortable sponge pillow is covered with washable mesh fabric
- Full color box
- 12 Sets., 4.16 kg (9.17 lbs)

10. PILLOW

60307

- 25 cm x 19.5 cm x 17.5 cm /
- Organic PU foam is 100% waterproof and resistant to chemicals and odors
- Compatible with all hot tubs with a wall thickness between
- Easy to clean
- Full color box
- 4 Sets., 3.67 kg (8.09 lbs)

2 pillows

11. 4-IN-1 ACCESSORY TRAY

60337

- 33 cm x 30 cm x 18 cm / 13" x 11.8" x 7.1"
- Multi-function tray with a table, splash-proof storage
- Legs can be adjusted to a custom width depending on wall thickness from 5-25 cm (2"-9.8")
- Compatible with all Lay-Z-Spas
- Full color box
- 2 Ea., 3.80 kg (8.38 lbs)









12. DRINK **HOLDER**

60306

- 35 cm x 23.2 cm x 20.5 cm / 13.8" x 9.1" x 8.1"
- Keep beverages or snacks close by while you relax
- Position anywhere on the top of hot tub sidewall
- Full color box
- 12 Ea., 8.95 kg (19.73 lbs)

- 2 drink holders

13. 7-COLOR TED LIGHT

60303

- Uses 3 AAA batteries (not included)
- IP68 waterproof
- LED light alternates between 7 colors







- One-touch operation: simply press top button
- Full color box
- 6 Ea., 0.98 kg (2.16 lbs)

14. SOOTHING LED WATERFALL

60322

- 46 cm x 17 cm x 10.4 cm /
- Compatible with Bestway AirJet[™] hot tubs





- IP66 waterproof rating protects from powerful streams of water & dust
- Magnetic attachment system for easy setup
- Full color box
- 4 Ea., 4.01 kg (8.84 lbs)

• 1 LED waterfall

15. CANOPY

60304

- Fabric with UV protection
- Compatible with all Bestway hot tubs
- Two removable guy lines to provide stability
- Full color box
- 3 Ea., 4.09 kg (9.02 lbs)

- 2 guy lines
- 1 storage bag

16. DOME

60305

- 3.90 m x 3.90 m x 2.55 m / 12'9" x 12'9" x 8'4"
- Fabric with UV protection
- Fits all Bestway hot tubs
- 4 large inside pockets to store personal items
- 4 detachable fabric and mesh doors, suitable for both winter and summer
- Suitable as a gazebo for use in the garden or backyard
- Can be used for pools up to 3.66 m (12') diameter
- Setup time: 15 min
- Full color box
- 2 Ea., 34.36 kg (75.75 lbs)

- 4 detachable fabric doors
- 4 detachable mesh doors


ROUND ENERGYSENSE® THERMAL

HOT TUB COVERS

- Increases energy efficiency of the hot tub
- Tritech® waterproof surface material increases cover durability
- Zipper door for built-in pump or external pump connection
- Full color box

CONTENTS


1 thermal cover





SQUARE ENERGYSENSE® THERMAL HOTTUB COVERS

- Full color box



ITEM #	SIZE	COMPATIBILITY	WEIGHT
60319	1.85 m x 1.85 m x 68 cm / 73" x 73" x 27"	Compatible with square hot tubs with lengths of 1.80 m (71") and heights of 71 cm (28")	1 Ea., 7.54 kg (16.62 lbs)
NEW GEN 60332	2.08 m x 2.08 m x 79 cm / 82" x 82" x 31"	Compatible with square hot tubs with lengths of 2.01 m (79") and heights between 71 cm (28") and 80 cm (31.5")	1 Ea., 11.13 kg (24.54 lbs)
60333	2.37 m x 2.37 m x 70 cm / 93" x 93" x 27.5"	Compatible with square hot tubs with lengths of 2.30 m (90.5") and heights of 71 cm (28")	1 Ea., 12.60 kg (27.78 lbs)



TECHNICAL FEATURES & ACCESSORY COMPATIBILITY

											THE REAL PROPERTY.	3+41				1241					TTY	
	MIAMI AIRJET™ 4	MIAMI AIRJET™ 6	IBIZA AIRJET™ 6	HOLLYWOOD LUXE AIRJET™ 6	HOLLYWOOD LUXE AIRJET™ 6	HAWAII SMART AIRJET™ 6	HAWAII SMART AIRJET™ 6	HAWAII SMART AIRJET™ 8	BALI SMART AIRJET™ 6	BALI SMART AIRJET™ 7	ROME SMART AIRJET™ 6	ROME SMART AIRJET™ 7	DOMINICA SMART HYDROJET™ 6	CABO SMART HYDROJET™ 6	SANTORINI SMART HYDROJET PRO™ 7	MALDIVES SMART HYDROJET PRO™ 7	SAN FRANCISCO SMART HYDROJET PRO™ 7	CARRARA SMART AIRJET™ 6	TORONTO SMART AIRJET™ 7	GLACIAL DIP™ ICE BATH POD	GLACIAL DIP™ ICE BATH TUB	GLACIAL DIP™ ICE BATH TUB
STANDARD BEAM																						
MAXHOLD™ BEAM								•				•										
THERMACORE™																			•			
POWER SAVING TIMER								•				•							•			
WATER FILTER ACTIVATION																			•		•	
HEATING SYSTEM																						
LED LIGHTS																						
APP CONTROL																						
RECHARGEABLE UNDERWATER VACUUM (60327)					•			•				•			•				•		•	
ALL IN ONE TOOL SET (60310)								•											•			
POOL & SPA TEST STRIPS (58142)																						
POOL & SPA SALTWATER TEST STRIPS (58767)																			•			
FILTER CARTRIDGE (60311)					•			•				•							•			
HYDROGENIC™ 0.5 G/H SALTWATER CHLORINATOR (60340)						•													•		•	
HOT TUB SEAT (60321)								•				•							•		•	
PADDED PILLOW (60316)		•						•				•							•			•
PILLOW (60307)																						
DRINK HOLDER (60306)								•														
4-IN-1 ACCESSORY TRAY (60337)																			•			•
SOOTHING LED WATERFALL (60322)								•											•			
7-COLOR LED LIGHT (60303)								•				•							•			
CANOPY (60304)					•			•				•							•			
DOME (60305)								•				•							•			
FLOOR PROTECTOR (60334)						•		X2		X2		X2			X2	X2	X2		•		•	

124 | LAY-Z-SPA 2026 FEATURES & COMPATIBILITY | 125





126 | LAY-Z-SPA 2026 |

SETUP& MAINTENANCE

WITH THE KEY TOOLS ALREADY INCLUDED, LAY-Z-SPA SETUP IS QUICK & EASY!

AFTER FINDING A FLAT AREA FOR THE HOT TUB, IT'S AS EASY AS 1, 2, 3!

- 1. ASSEMBLE the hot tub, inflating and connecting the pump if necessary.
- 2 FILL the hot tub with water to the indicated level
- 3. ENJOY the relaxing massage!

Also included with each hot tub is a chemical dispenser and filter cartridge to keep the water sparkling. Maintaining clean and healthy hot tub water is important for the user's experience, and also extends the longevity of the hot tub.

For quick and easy transportation and storage, each hot tub is equipped with a deflation function







SETUP & MAINTENANCE | 129

BESTWAY

Bestway Europe

opens

1998

Bestway Central & South America opens

Introduced groundbreaking Fast Set pools



Solar panels installed across

2006



2008



2017 🗐 🗇



2022



2024

1994

Bestway founded in Shanghai, China & first inflatable, the beach ball, was produced!



1999

Bestway Hong Kong & USA opens





Bestway Yancheng factory opens



2007

Revolutionized outdoor







2014



2018

2019

2021



2023







AWARDSE Hocolages

Bestway is a world-renowned company who cares – and our awards are proof! We're proud to be recognized by top brands and retailers across the world who have honored us for our sustainability efforts, high-quality products, unmatched culture and exceptional customer service.

2017 Lay-Z-Spa Paris AirJet 2021

THE YEAR Lay-Z-Spa

Lay-Z-Spa Zurich Airlet, Thermal Covers

2017 + 2019 **INFLUENCE**

On Climate **Change Mitigation**

2022

2018

Walmart Supplier Growth Forum

2022



IE Magazine

2018

Lay-Z-Spa Maldives HydroJet Pro

2024

For Sustainable Development

Projects in Support of Life

ENTERPRISES

2023

In the Chinese

SUPPLIERS

2020

On Climate Action

2021

Lay-Z-Spa

2024

2015

2017

2018

GREAT PLACE TO WORK

2020

Category Winner

2021

2022 - 2024

Best Companies

in Arizona



2022



Garden & Pools

2022 + 2023

Zurich AirJet, Thermal Covers



2022



2022

GREAT PLACE

2022

GREAT PLACE

2023

BEST BRAND

Spa & Sauna

2023

SILVER HEALTH 8


2023

San Francisco **HydroJet Pro**

INDEX


L STANDARD SERIES







IBIZA AIRJET™ 6




HOLLYWOOD UXE AIRJET™ 6



HOLLYWOOD LUXE AIRJET™ 6

MAXHOLD™ SERIES



HAWAII SMART AIRJET™ 6

SMART AIRJET™ 8

SMART AIRJET™ 6

SMART AIRJET™ 7



SMART AIRJET™ 6



ROME SMART AIRJET™ 7



DOMINICA



SMART HYDROJET™ 6



SMART HYDROJET PRO™ 7

MAXHOLD™ SERIES (CONT.)



SMART HYDROJET PRO™ 7



THERMACORE™ SERIES

。⊙ ⊙∘

CARRARA

SMART AIRJET™ 6

SMART AIRJET™ 7

SAN FRANCISCO

I ICE BATH SERIES



GLACIAL DIP™ ICE BATH POD



GLACIAL DIP™ ICE BATH TUB



GLACIAL DIP™ ICE BATH TUB

XTRAS



RECHARGEABLE UNDERWATER

ALL IN ONE TOOL SET

POOL & SPA TEST STRIPS

POOL & SPA SALTWATER

TEST STRIPS



ACCESSORY TRAY

PILLOW 60307 | PG 120









0.5 G/H SALTWATER

CARTRIDGE (VI)





DOME 60305 | PG 121




60321 | PG 119









THERMAL COVERS



THERMAL COVERS